# erfect





### Table of contents 1. Modular Doors Elegant ......5 Prato 5 Soler 6 Atos .......6 Mira......8 Brytania 9 Monaco 10 Mediolan 15 Cortina Duo ..... Klasyk 19 Uno 23 Bulai 23 Linos Alu 23 8. Sliding systems Wall sliding system ..... 9. Door frames Adjustable frame (OR) ..... Adjustable non-rebate panel door frame (OPB) Adjustable tunnel (TR) Soft fixed frame (OS) 33 Overlay door frame – camouflage (ON) 34 10. Nonrebated doors .......35 12. Skirting boards .....

Modular doors are modern design, interesting and innovative construction solutions. They are characterised by a stable, massive structure giving satisfaction of the high quality product. Use of veneers, especially from Top-Décor line with characteristic grains and structure intensify the impression of natural wood. CPL and ECOLINE laminates additionally confer resistance of the panels. Each of the door leaf modules is made of solid MDF board, pasted and prepared separately with all due diligence and attention.

The elements are soundly combined, ensuring stable and sustainable structure of the leaf. The use of modules in the leafs construction makes it possible to create many different patterns on the basis of one model, thanks to which each of the customers has an opportunity to find a solution which optimally suits his needs.



### Structure

Full frame structure of solid MDF ensuring stability



### Nonrebated version



### Glazing

Structure frame allows for esthetic, frameless system of glazing. In modular doors we use tempered frosted DECORMAT glass 4mm thick





### **Fittings**

Available in versions for rebate and nonrebate foors



### Sable fitting

Modules are joined with wooden dowels and a layer of glue



### Surface

Elements pasted with ecological and innovative decorative materials: impressive Top Décor foil as well as CPL and Ecoline laminates ensuring resistance



### Rebate version:

Lock in version: key/bathroom/cylinder Spacing 72/50 Silver zinc



3 pivot hinges Silver zinc



### Non-rebate version:

Magnetic lock in key/bathroom/cylinder versions Spacing 72/50 Silver zinc



3 hinges with 3D regulation Silver Zinc





### Possible solutions:

Single sliding system	Page 27
Double sliding system	Page 27
Hidden system	Page 29
Two-leaf system	Page 26
Soft fixed frame (OS)	Page 33
Adjustable frame (OR)	Page 30
Adjustable non-rebate panel door frame	Page 31
Overlay door frame – camouflage (ON)	Page 34
Accessories	Page 38-39

### Options with additional payment:

Ventilation undercutting
Ventilation sleeves
"100" door leaf
Non-rebate door leaf
Sliding system door leaf

### Technical information:

General information	Page 4
Dimensioning	Page 36

### Availible widths:

"60", "70", "80", "90" – detailed technical information on page 36  $\,$ 



Sonoma	Grey Oak	Bleached Pine	Rustic Walnut	Top-Decor	
Ash Modern	Modern Oak	Wenge Modern	White Modern	CPL Laminate	
Graphite Eco	Bleached Oak Eco	Oak Eco	Walnut Eco	Ecoline	



Elegant 2

Perfect Door

Elegant 1







Thor 2



Thor 1



Sonoma	Grey Oak	Bleached Pine	Rustic Walnut	Top-Decor	
Ash Modern	Modern Oak	Wenge Modern	White Modern	CPL Laminate	
Graphite Eco	Bleached Oak	Oak Eco	Walnut Eco	Ecoline	



Prato 4














**Modular Doors** 





Salwador 1


















	Top-Decor	Rustic Walnut	Bleached Pine	Grey Oak	Sonoma
	CPL Laminate	White Modern	Wenge Modern	Modern Oak	Ash Modern
<b>♦</b>	Ecoline	Graphite Eco	Bleached Oak Eco	Oak Eco	Walnut Eco



Top-Decor	Rustic Walnut	Bleached Pine	Grey Oak	Sonoma
CPL Laminate	White Modern	Wenge Modern	Modern Oak	Ash Modern
Ecoline	Graphite Eco	Bleached Oak Eco	Oak Eco	Walnut Eco

Bleached Pine

Limera







Nove1 Nove2 Nove3

White Top-Decor


White Modern CPL Laminate






Bleached Pine	Rustic Walnut	Canadian Oak	Grey Oak	Truffle	Sonoma	North Oak	Golden Oak	White	Top-Decor	
					Ash Modern	Modern Oak	Wenge Modern	White Modern	CPL Laminate	
					Graphite Eco	Bleached Oak Eco	Oak Eco	Walnut Eco	Ecoline	

Graphite Eco



Ecoline









Bleached Pine	Rustic Walnut	Canadian Oak	Grey Oak	Truffle	Sonoma	North Oak	White	Top-Decor	
				Ash Modern	Modern Oak	Wenge Modern	White Modern	CPL Laminate	
				Graphite Eco	Bleached Oak Eco	Oak Eco	Walnut Eco	Ecoline	








	Bleached Pine	Rustic Walnut	Canadian Oak	Grey Oak	Truffle	Sonoma	North Oak	Golden Oak	Top-Decor	
					Ash Modern	Modern Oak	Wenge Modern	White Modern	CPL Laminate	
					Graphite Eco	Bleached Oak Eco	Oak Eco	Walnut Eco	Ecoline	



Bleached Pine	Rustic Walnut	Canadian Oak	Truffle	Sonoma	North Oak	White	Top-Decor	
			Ash Modern	Modern Oak	Wenge Modern	White Modern	CPL Laminate	














Top-Decor \_










Bleached Pine	Rustic Walnut	Canadian Oak	Grey Oak	Truffle	Sonoma	Golden Oak	White	Top-Decor	
				Ash Modern	Modern Oak	Wenge Modern	White Modern	CPL Laminate	

### Possible solutions:

Soft fixed frame (OS)	Page 33
Adjustable frame (OR)	Page 30
Overlay door frame – camouflage (ON)	Page 34
Accessories	Page 38-39

### Availible widths:

"60", "70", "80", "90" – detailed technical information on page 36



						Greinlum	USKar	Nobel	regis
	Bleached Pine	Rustic Walnut	Grey Oak	Truffle	Sonoma	Golden Oak	White	Top-Decor	
				Ash Modern	Modern Oak	Wenge Modern	White Modern	CPL Laminate	
				Graphite Eco	Bleached Oak Eco	Oak Eco	Walnut Eco	Ecoline	<b>◆</b>

### Perfect Door Slab Doors

Laminated doors are manufactured on the basis of permanent frame made from MDF board. Inside, as a stabilizing filling, "honey comb" is used. Leaf is covered on both sides with raw HDF board, which is pasted with decorative foil with wood structure, which, in the case of selected colours, has been strengthened with "wood look" effect (imitating pores of wood) or haptic effect (giving impression of touch of raw wood).

 $Typical \ of \ glazed \ laminated \ doors \ is \ connection \ of \ remarkable \ design \ with \ relatively \ low \ price.$ 



Klasyk Plus

Page. 15

Pekin Page. 16

Page. 16

Kanto

Doro

Page. 16

### Structure

Frame of the leaf made from MDF board, covered with two HDF boards veneered with decorative material



### Soft technology

Availible in rebate version



### Glazing

Tempered frosted DECORMAT glass 4mm thick, glazing finished with frame





Lock in version: Key/bathroom/cylinder Spacing 72/50 Silver zinc

### Possible solutions:

1 ossible solutions.	
Single sliding system	Page 27
Double sliding system	Page 27
Hidden system	Page 29
Two-leaf system	Page 26
Soft fixed frame (OS)	Page 33
Adjustable frame (OR)	Page 30
Overlay door frame – camouflage (ON)	Page 34
Accessories	Page 38-39

### Availible widths:

"60", "70", "80", "90" – detailed technical information on page 36  $\,$ 



### **Fittings**

Two screwed pivot hinges, silver zinc



### **Filling**

Stabilizing "honey comb" paper



### Surface

Elements pasted with ecological and innovative decorative materials: Preimpregnate foil and impressive Top-Décor foils






Two pivot hinges countered with a screw Silver zinc

### Options with additional payment:

"100" door leaf

Sliding system door leaf















































Roco

Rio



### Perfect Door HDF Varnished Doors

Varnished doors are manufactured on the basis of permanent frame made from MDF Board. Inside of the leaf stabilizing "honey comb" filling is used. Leaf is covered on both sides with printed and varnished HDF board.

 $Doors\, of\, HDF\, varnished\, line\, are\, products\, guaranteeing\, economy\, of\, solutions.$ 







Preston Page. 19



Lawa Page. 19

### Structure

Frame of the leaf made from MDF board, covered with two HDF boards veneered with decorative material



### Rim

The edge is finished with a rim resistant to mechanical factors, with colour matching the board



### Glazing

Tempered frosted ORNAMENT glass 4mm thick, glazing finished with frame





Lock in version: Key/bathroom/cylinder Spacing 72/50 Silver zinc



Two pivot hinges countered with a screw Silver zinc



### **Fittings**

Two screwed pivot hinges, silver zinc



### **Filling**

Stabilizing "honey comb" paper



### Surface

Varnished HDF board



### Possible solutions:

Soft fixed frame (OS)	Page 33
Adjustable frame (OR)	Page 30
Overlay door frame – camouflage (ON)	Page 34
Accessories	Page 38-39


### Availible widths:


"60", "70", "80", "90" – detailed technical information on page 36

### Options with additional payment:

"100" door leaf








In the case of HDF Varnished doors a colour difference may occur due to the technological heterogeneity of decorative elements.



### PerfectDoor Innova Doors

INNOVA doors are innovative technology combining modern style with excellent quality. The wing is made of 2 MDF plates veneered with a material resistant to mechanical factors: PVC film. This allows the door wings to be used in public buildings like hotels, offices, as well as in the homes of demanding clients. Stronger, thicker than normal construction (43mm thickness) together with the PVC film creates door wings resistant to scratches, moisture, or the use of detergents, and the mounted rubber seal provides additional protection against noise and temperature. The door leafs can be combined with key, bathroom and cylinder locks. Fittings are made up of three pivot hinges with regulation. INNOVA line uses a special wooden frame.






















Availible widths:

"60", "70", "80", "90"









### Options for extra payment:

INNOVA wooden frame

Ventilation undercutting

ATTENTION! - INNOVA wooden frame is rectangular

ATTENTION! - INNOVA wooden frame is rectangular
























### PerfectDoor Investment Doors

We present you the extended collection of doors dedicated to private or institutional investors. In this segment you can find both economic, full door leafs, strengthened staircase leafs, as well as sound absorbing or EI30 and EI60 fire resistant doors.





Linos Page. 23



Linos Alu Page. 23



Solid Page. 24



Solid Alu Page. 24



Volume Set Page. 24



Volume Alu Set Page. 24



Marcus I El30 Page. 25



Marcus II El60 Page. 25

### Possible solutions:

Single sliding system	Page 27
Double sliding system	Page 27
Hidden system	Page 29
Two-leaf system	Page 26
Soft fixed frame (OS)	Page 33
Adjustable frame (OR)	Page 30
Overlay door frame – camouflage (ON)	Page 34
Accessories	Page 38-39

### Options with additional payment:

	Ventilation crate
	Ventilation sleeves
	"100" door leaf
	Sliding system door leaf

### Technical information:

- -Frame of the leaf made from MDF board, covered with two HDF boards,
- -Stabilising filling : paper "honey comb"
- -Two screwed pivot hinges, silver zinc.
- -Lock in key version, bathroom version or with 72/50 insert in silver zinc
- -Dimensioning: Page 33

### Availible widths:

- "60", "70", "80", "90"
- detailed technical information on page 36



				Alder	Acacia	Walnut	Acacia Light	Preimpregnate Foil	$\Diamond$
	Bleached Pine	Grey Oak	Canadian Oak	Truffle	Sonoma	Rustic Walnut	Golden Oak	Top-Decor	<b>♦</b>
				Ash Modern	Modern Oak	Wenge Modern	White Modern	CPL Laminate	

### Possible solutions:

Single sliding system	Page 27
Double sliding system	Page 27
Hidden system	Page 29
Two-leaf system	Page 26
Soft fixed frame (OS)	Page 33
Adjustable frame (OR)	Page 30
Overlay door frame – camouflage (ON)	Page 34
Accessories	Page 38-39

### Options with additional payment:

Ventilation crate
Ventilation sleeves
"100" door leaf
Sliding system door leaf

### Availible widths:

"60", "70", "80", "90"

- detailed technical information on page 36

### Technical information:

- -Frame of the leaf made from MDF board, covered with two HDF boards.
- -Stabilising filling: paper "honey comb"
- -Round window of "bull-eye" type with metal framing
- -Decormat tempered pane 4mm thick
- -Two screwed pivot hinges, silver zinc,
- -Lock in key version, bathroom version
- or with 72/50 insert in silver zinc
- -Dimensioning: Page 33





**CPL** Laminate

### Possible solutions:

Soft fixed frame (OS)	Page 33
Adjustable frame (OR)	Page 30
Accessories	Page 38-39

Bleached Pine

### Options with additional payment:

	Ventilation crate
	Ventilation sleeves
	"100" door leaf

### Technical information:

- -Frame of the leaf made from MDF board, covered with two HDF boards,
- -Filling: LDF board with reduced density
- -Three pivot hinges screwed and countered with
- a screw, silver zinc,
- -Lock with 72/50 insert in silver zinc
- -Dimensioning: Page 33

### Availible widths:

"80", "90"

- detailed technical information on page 36



				Alder	Acacia	Walnut	Acacia Light	Preimpregnate Foil	$\Diamond$
	Bleached Pine	Grey Oak	Canadian Oak	Truffle	Sonoma	Rustic Walnut	Golden Oak	Top-Decor	
				Ash Modern	Modern Oak	Wenge Modern	White Modern	CPL Laminate	

### Options with additional payment:

Ventila	tion	crate	

Ventilation sleeves

"100" door leaf

### Possible solutions:

Soft fixed frame (OS)	Page 33
Adjustable frame (OR)	Page 30
Accessories	Page 38-39

### Technical information:

- -Frame of the leaf made from MDF board, covered with two HDF boards,
- -Filling: LDF board with reduced density
- -Three pivot hinges screwed and countered with a screw, silver zinc,
- -Lock with 72/50 insert in silver zinc
- -Door leaf finished with aluminium strip
- -Dimensioning: Page 33

### Availible widths:

"80", "90"

- detailed technical information on page 36











Linos Alu 4

		acta	nea teeninear in	normation on p	280 30				
				Alder	Acacia	Walnut	Acacia Light	Preimpregnate Foil	$\Diamond$
	Bleached Pine	Grey Oak	Canadian Oak	Truffle	Sonoma	Rustic Walnut	Golden Oak	Top-Decor	
				Ash Modern	Modern Oak	Wenge Modern	White Modern	CPL Laminate	



### Technical information:

- -Frame of the leaf made from MDF board, covered with two HDF boards.
- -Filling: Chipboard
- -Three pivot hinges screwed and countered with
- a screw, silver zinc.
- -Three-bolt insert lock, silver zinc
- -Upper three-bolt insert lock
- -Dimensioning: Page 33

### Possible solutions:

Top-Decor —

SOLID wooden frame

ATTENTION! - SOLID wooden frame is rectangular

### Availible widths:

"80", "90" – detailed technical information on page 36

Top-Decor	Golden Oak	Rustic Walnut	Sonoma	Grey Oak			
CPL Laminate	White Modern	Wenge Modern	Modern Oak	Ash Modern			











### Technical information:

- -Frame of the leaf made from MDF board, covered with two HDF boards,
- -Filling: Chipboard
- -Three pivot hinges screwed and countered with
- a screw, silver zinc.
- -Three-bolt insert lock, silver zinc
- -Upper three-bolt insert lock
- -Door leaf finished with aluminium strip
- -Dimensioning: Page 33

### Possible solutions:

SOLID wooden frame

ATTENTION! - SOLID wooden frame is rectangular

### Availible widths:

"80", "90" – detailed technical information on page 36



### Technical information:

- VOLUME leaf is intended to public utility and residential facilities as internal entrance doors
- -Leaf has acoustic isolation Rw=32dB
- -Frame of the leaf made from MDF board, covered with two HDF boards,
- -Staibilising filling with HOMALIGHT board
- -Strengthening with massive steel flat bar 5mm thick
- -Leaf with increased thickness of 46mm
- -Additional rubber seal in the leaf
- -Interlocking door bolts
- -Three-bolt insert lock, silver zinc
- -Upper three-bolt insert lock
- -Viewfinder (for personal mounting)
- -Frame in the set

### Set contains:

VOLUME wooden frame

Handle with upper rosette "MATI" in silver

Patented inserts

Aluminum threshold

Viewfinder

ATTENTION! - VOLUME wooden frame is rectangular

### Availible widths:

"80", "90" - detailed technical information on page 36



### Volume Alu Set

























### Technical information:

VOLUME leaf is intended to public utility and residential facilities as internal entrance doors

- -Leaf has acoustic isolation Rw=32dB
- -Frame of the leaf made from MDF board, covered with two HDF boards,
- -Staibilising filling with HOMALIGHT board
- -Strengthening with massive steel flat bar 5mm thick
- -Leaf with increased thickness of 46mm
- -Additional rubber seal in the leaf
- -Interlocking door bolts
- -Three-bolt insert lock, silver zinc -Upper three-bolt insert lock
- -Viewfinder (for personal mounting)

### -Frame in the set

### Set contains:

VOLUME wooden frame

Handle with upper rosette "MATI" in silver

Patented inserts

Aluminum threshold

Viewfinder

ATTENTION! - VOLUME wooden frame is rectangular

### Availible widths:

"80", "90" – detailed technical information on page 36

Top-Decor	Golden Oak	Rustic Walnut	Sonoma	Grey Oak			
CPL Laminate	White Modern	Wenge Modern	Modern Oak	Ash Modern			

### Possible solutions:

Accessories

Page 38-39

### Technical information:

- -Strengthened internal entrance fire resistant doors
- -Increased fore resistance: EI 30 class
- -Doors are recommended to be used as entrance doors from staircase and corridors to public utility rooms, hotels and apartments
- -Leaf covered with two HDF voards veneered with f inish foil
- -Structure of leaf made from fireproof materials
- -Filling: mineral wool and stabilizing slats
- -Integral part of the doors with increased fire resistance comprises fixed 90x43 door frame along with seals and smoke holes (included in the set)
- -Doors are additionally equipped with 3 pivot hinges,
- 3 interlocking door bolts and lower lock

### Options with additional payment:

Self-closer

Additional lock

"100" door leaf

Viewfinder

### Availible widths:

"80", "90"

- detailed technical information on page 36



Increased fire resistance: EI 30 Class

			White	Walnut	Alder	Preimpregnate Foil	$\Diamond$
					Rustic Walnut	Top-Decor	

### Possible solutions:

Accessories

Page 38-39

### Technical information:

- -Strengthened internal entrance fire resistant doors
- -Increased fore resistance: EI 60 class
- -Doors are recommended to be used as entrance doors from staircase and corridors to public utility rooms, hotels and apartments
- -Leaf covered with two HDF voards veneered with finish foil
- -Structure of leaf made from fireproof materials
- -Filling: mineral wool and stabilizing slats
- -Integral part of the doors with increased fire resistance comprises fixed 90x43 door frame along with seals and smoke holes (included in the set)
- -Doors are additionally equipped with 3 pivot hinges,
- 3 interlocking door bolts and lower lock

### Options with additional payment:

Self-closer

Additional lock

"100" door leaf

Viewfinder

### Availible widths:

"80", "90"


– detailed technical information on page 36



Marcus II El

Increased fire resistance: EI 60 Class

		White	Walnut	Alder	Preimpregnate Foil	$\Diamond$
				Rustic Walnut	Top-Decor	





### **Double-Leaf Doors**


In double leaf doors, we can use any model of leafs availible in this catalogue, apart from Linos, Linos Alu, Solid, Solid Alu, Volume Set, Volume Alu Set, Marcus II.

It is possible to freely combine "60", "70", "80", "90" leafs.

The active leaf is standard spread leaf, while the passive leaf has a meeting stile installed on the rabbet, containing dampers and lock catch.

The price of fixed and adjustable door frame for double leaf doors is 30% higher.





The price of double leaf door includes the price of each leaf with additional price of meeting stile.

### Wall Sliding System



This solution enables easy asembly of door leafs in rooms where you cannot, or you do not want to use tranditional spreading doors. Door leaf or leafs (in the case of a double system) moves in aluminum guides placed above the door opening.

### The sliding system includes:

- Aluminum guide with rolls and installation elements
- Spacer spat
- Courtain rail masking frame in the colour of the leaf
- Guard beam in the colour of the leaf (not included in the double system)

### **Sliding leafs:**

For the wall sliding system we use sliding door without rebates with the following dimensions:

- Single system: "60", "70", "80", "90"
- Double system: "2x60", "2x70", "2x80", "2x90"

In this version, all of the door leafs from this catalogue are available apart from Oskar, Nobel, Gremium, Regis, Klasyk, Preston, Lawa, Linos, Linos Alu, Solid, Solid Alu, Volume Set, Volume Alu Set, Marcus I, Marcus II, Innova.

In case of application of modular doors there is no possibility of ventilation undercutting in sliding leaf.

### Options for extra payment:

Steel oval hand-rails or round in gold or chrome colour.

Set of hand-rails for one sliding leaf consists of 2 pieces.

Hook lock with a complete set of oval or round hand-rails in version with a key or WC in gold or chrome colour.

### Hand-rails






Colour: Chrome

Round colour: Gold


colour: Chrome colour: Gold

### **Hook Locks**



### Widh Of Sliding Systems

			SINGLE	SYSTEM		DOUBLE SYSTEM				
		60	70	80	90	2x 60	2x70	2x80	2x90	
	5	644	744	844	944	2x644	2x744	2x844	2x944	
E	Ē	1682	1682	1982	1982	3332	3332	3996	3996	




dimensions (width) - single system

dimensions (width) - double system

	60	70	80	90
S	644	744	844	944
А	602	702	802	902
В	646	746	846	946
С	680	780	880	980
D	744	844	944	1044


	2x60	2x70	2x80	2x90
S	2x644	2x744	2x844	2x944
Α	1250	1450	1650	1850
В	1243	1443	1643	1843
С	1294	1494	1694	1894
D	1392	1592	1792	1992




wall sliding leaf

wall sliding system with encasing

wall sliding system without encasing





### Hidden Sliding System



Sliding system as an aluminium structure for installation of carton-gypsum board for one-leaf or double-leaf doors hidden in the wall.

### The sliding system includes:

- Aluminum cassette with installation elements
- Masking frames in sliding leaf.

### **Sliding leafs:**

For the hidden sliding system we use sliding door without rebates with the following dimensions:

- Single system: "60", "70", "80", "90"
- Double system: "2x60", "2x70", "2x80", "2x90"

In this version, all of the door leafs from this catalogue are available apart from Oskar, Nobel, Gremium, Regis, Klasyk, Preston, Lawa, Linos, Linos Alu, Solid, Solid Alu, Volume Set, Volume Alu Set, Marcus I, Marcus II, Innova.


In case of application of modular doors there is no possibility of ventilation undercutting in sliding leaf.


### **Options for extra payment:**

Steel oval hand-rails or round in gold or chrome colour.

Set of hand-rails for one sliding leaf consists of 2 pieces.

Hook lock with a complete set of oval or round hand-rails in version with a key or WC in gold or chrome colour.





### **NOTE:** System provided exclusively to the wall thickness of 125mm

	WIDH	HEIGHT	С	D	Е	F	G	Н	H1
60	644		1280	620	604	640	640		
70	744		1480	720	704	740	740		
80	844		1680	820	804	840	840		
90	944	2040	1880	920	904	940	940	2020	2120
2x60	2x644	2040	2480	320	1180	1220	640	2020	
2x70	2x744		2880	720	1380	1420	740		
2x80	2x844		3280	820	1580	1620	840		
2x90	2x944		2680	920	1780	1820			

### Adjustable Frame (OR)



### Structure:

Body of the door frame consists of the MDF board 22mm thick. The front part (from the door side) and the adjustment part are flat angular slats. The above elements are covered with PREIMPREGNATE and TOP-DÉCOR foil, as well as CPL or ECOLINE laminates. Product enables to change width in the range of 40mm, and it's different scopes enable placing in on a wall with the thickness from 80mm to 500mm.


Every adjustable door frame has an option for the third hinge.

### **Application:**

- With two hinges mounted: All indoor rebate doors foiled and varnished apart from "Solid", "Solid Alu", "Volume Set", "Volume Alu Set".
- With three hinges mounted: All modular doors as well as glass models "Oskar", "Nobel", "Gremium", "Regis"

### Adjustable frame consists of:

A set of vertical right or left bases (according to the opening direction) along with masking elements, hinges, door seal, accessories necessary for assembly of the door frame, an upper horizontal beam suitable for the door leaf width along with masking elements.



### Adjustable Frame (OR)

	743	
4448	888	
170	2005 2003 2003 2003	7000
	2%5	
	<del>1</del>	

### Ranges for the Adjustable frames (OR)

OR	SCOPE	PANELS
OR 1	80-100	1
OR 2	100-140	1
OR 3	140-180	1
OR 4	180-220	1
OR 5	220-260	1
OR 6	260-300	2
OR 7	300-340	2
OR 8	340-380	2
OR 9	380-420	2
OR 10	420-460	3
OR 11	460-500	3

							DOUBLE LEAFS												
	60	70	80	90	100	60+40	2x60	60+70	60+80	60+90	70+40	2x70	70+80	70+90	80+40	2x80	80+90	90+40	2x90
S2	644	744	844	944	1044	644+444	2x644	644+744	644+844	644+944	744+444	2x744	744+844	744+944	844+444	2x844	844+944	944+444	2x944
A2	602	702	802	902	1002	1050	1250	1350	1450	1550	1150	1450	1550	1650	1250	1650	1750	1350	1850
B2	624	724	824	924	1024	1072	1272	1372	1472	1572	1172	1472	1572	1672	1272	1672	1772	1372	1872
C2	646	746	846	946	1046	1094	1294	1394	1494	1594	1194	1494	1594	1694	1294	1694	1794	1394	1894
D2	680	780	880	980	1080	1135	1335	1435	1535	1635	1235	1535	1635	1735	1335	1735	1835	1435	1935
E2	744	844	944	1044	1144	1192	1392	1492	1592	1692	1292	1592	1692	1792	1392	1792	1892	1492	1992

Extra payment for double door leafs -30%Extra payment for a door frame in size "100"

### Adjustable Non-Rebate Panel Frame (OPB) "R"



### Structure:

Door frame adapted for installation of non-rebate doors with invisible hinges. Body of the door frame consists of the MDF board 22mm thick. The front part (from the door side) and the adjustment part are flat angular slats. The above elements are covered with PREIMPREGNATE and TOP-DÉCOR foil, as well as CPL or ECOLINE laminates. Product enables to change width in the range of 20mm, and it's different scopes enable placing in on a wall with the thickness from 96mm to 516mm.

Every adjustable door frame has an option for the third hinge.




• All models of leafs from this catalogue, present in a non-rebate version. The non-rebate panel door frame consists of:


A set of vertical right or left bases (according to door opening direction) along with masking elements, invisible hinges, door seal, accessories needed for door frame installation, upper horizontal beam suitable for the door leaf width along with masking elements.

### Note:

For non-rebated door frame installation, it will be necessary to provide additional losses in the wall hole to make space for covers of the hidden hinges.



\*\*Suggested width of the wall hole Extra payment for a door frame in size "100"



### Scopes of regulated non-rebate panel frames (OPB)

	SCOPE	PANELS
OPB-1	96-116	1
OPB-2	116-136	1
OPB-3	136-156	1
OPB-4	156-176	1
OPB-5	176-196	1
OPB-6	196-216	1
OPB-7	216-236	1
OPB-8	236-256	2
OPB-9	256-276	2
OPB-10	276-296	2
OPB-11	296-316	2
OPB-12	316-336	2
OPB-13	336-356	2
OPB-14	356-376	2
OPB-15	376-396	3
OPB-16	396-416	3
OPB-17	416-436	3
OPB-18	436-456	3
OPB-19	456-476	3
OPB-20	476-496	3
OPB-21	496-516	3

Dimensions (widh) of adjusted non-rebate door frames (OPB)

	60	70	80	90	100
S	618	718	818	918	1018
Α	599	699	799	899	999
В	625	725	825	925	1025
С	643	743	843	943	1043
D	680	780	880	980	1080
Е	745	845	945	1045	1145

### Adjustable Tunnel (TR)




### Structure:

Body of the door frame consists of the MDF board 22mm thick. The front part (from the door side) and the adjustment part are flat angular slats. The above elements are covered with PREIMPREGNATE and TOP-DÉCOR foil, as well as CPL or ECOLINE laminates. Product enables to change width in the range of 40mm, and it's different scopes enable placing in on a wall with the thickness from 80mm to 500mm.


### **Application:**

- Independent product for covering the passage in wall hole
- Option for the wall sliding system



### Adjustable tunnel consists of:

A set of vertical bases along with masking elements, accessories needed for assembly of the tunnel, upper horizontal beam suitable for the wall hole along with masking elements.



### Ranges of the adjustable tunnels (TR)

TR	SCOPE	PANELS
TR 1	80-100	1
TR 2	100-140	1
TR 3	140-180	1
TR 4	180-220	1
TR 5	220-260	1
TR 6	260-300	2
TR 7	300-340	2
TR 8	340-380	2
TR 9	380-420	2
TR 10	420-460	3
TR 11	460-500	3

### Adjustable Tunnel (TR)

							DOUBLE LEAFS												
	60	70	80	90	100	60+40	2x60	60+70	60+80	60+90	70+40	2x70	70+80	70+90	80+40	2x80	80+90	90+40	2x90
A3	602	702	802	902	1002	1050	1250	1350	1450	1550	1150	1450	1550	1650	1250	1650	1750	1350	1850
В3	624	724	824	924	1024	1072	1272	1372	1472	1572	1172	1472	1572	1672	1272	1672	1772	1372	1872
C3	646	746	846	946	1046	1094	1294	1394	1494	1594	1194	1494	1594	1694	1294	1694	1794	1394	1894
D3	680	780	880	980	1080	1135	1335	1435	1535	1635	1235	1535	1635	1735	1335	1735	1835	1435	1935
E3	744	844	944	1044	1144	1192	1392	1492	1592	1692	1292	1592	1692	1792	1392	1792	1892	1492	1992

Extra payment for a tunnel with a dimension "100" and larger

### Soft Fixed Frame (OS)




### Structure:


Frame is made of solid MDF board with the thickness of 44mm and is covered with PREIMPREGNATE, TOP-DÉCOR or CPL Laminate. It has the constant width of 90mm. It is available both in 2- and 3-hinge version. To this door frame masking trims and quarter rounds can be used.

### **Application:**


Soft fixed frame shall apply to:

- Two-hinge system with hinges screwed and countered with a screw: All indoor rebate doors which are foil-wrapped and varnished apart from "Solid", "Solid Alu", "Volume", "Volume Alu", "Innova".
- Three-hinge system with hinges secured with a bolt and screwed with a screw and additional upper sheet: All of the modular doors as well as glass doors "Oskar", "Nobel", "Gremium", "Regis".









	Soft fi	xed fra	me (O	S)		DOUBLE LEAFS													
	60	70	80	90	100	60+40	2x60	60+70	60+80	60+90	70+40	2x70	70+80	70+90	80+40	2x80	80+90	90+40	2x90
S1	644	744	844	944	1044	644+444	2x644	644+744	644+844	644+944	744+444	2x744	744+844	744+944	844+444	2x844	844+944	944+444	2x944
A1	598	698	798	898	998	1046	1246	1346	1446	1546	1146	1446	1546	1644	1646	1646	1746	1346	1846
B1	625	725	825	925	1025	1073	1273	1373	1473	1573	1173	1473	1573	1673	1673	1673	1773	1373	1873
C1	687	787	887	987	1087	1135	1335	1435	1535	1635	1235	1535	1635	1735	1735	1735	1835	1435	1935
D1	711	811	911	1011	1111	1161	1361	1461	1561	1661	1261	1561	1661	1761	1761	1761	1861	1461	1961

Extra payment for a door frame for "Linos" doors Extra payment for a double door leaves

### Overlay Door Frame - Camouflage (ON)

### **Application:**


Camouflage to frame applies to:


• Building of the old door frame by its total covering – without the need of dismantling

(does not significantly reduce the size of the wall hole)

- Camouflage has regulation of width and it does not only cover the existing frame but also the whole thickness without the need to install additional strips
- Possibility of covering each metal door frame, also with the wall surrounding it
- Possibility to change direction of doors.


Range of adjustment for the Overlay door frame.





Door Width	Α	В	С	D	E	F	G
60	644	624	618	566	590	598	724
70	744	724	718	666	690	698	824
80	844	824	818	766	790	798	924
90	944	924	918	866	890	898	1024
100	1044	1024	1018	966	990	998	1124

Minimal home in the wall for metal frame necessare to mount overlay door frame




The distance from the handle to the enge of the camouflage frame. (ATTENTION!) Before buying the handles – check the width escutcheon plate so that it doesn't collide when closing the door leaf.

## Steel Frame Steel Frame Steel Frame Floor


### Ranges of the Overlay door frames – Camouflage (ON)


	SCOPE	PANELS
ON-1	80-100	1
ON-2	100-120	1
ON-3	120-140	1
ON-4	140-160	1
ON-5	160-180	1
ON-6	180-200	1
ON-7	200-220	1
ON-8	220-240	2
ON-9	240-260	2
ON-10	260-280	2
ON-11	280-300	2
ON-12	300-320	2
ON-13	320-340	2
ON-14	340-360	2
ON-15	360-380	3
ON-16	380-400	3
ON-17	400-420	3




### **Technical Information**

### dimensioning









8 02

cut off of sliding leafs


size	S	SW
60	644	618
70	744	718
80	844	818
90	944	918
100	1044	1018

### direction of doors





### type of filings









**Honey Comb** 


LDF Board

Chipboard

Homalight

### Basedboards





### **Accessories**

Handles





























### Accessories

### **Door Plates**





Add-ons for modular door leafs. Price of the add-on is equal to the price of a relevant model of door leaf.

There is no possibility to produce extra add-ons to all modular door leafs. Add-ons are available in the width of "40"



