Perfect Door

- your door

CATALOGUE 2013/2014

FSC
www.fsc.org
FSC® C114073

Mark of responsible forest management

Products marked with FSC® can be found in our offers

COMPANY HISTORY

Perfectdoor Sp. z o.o. is one of the most buoyant companies on the Polish market. Thanks to the long-term tradition, continuous investments in new technologies, it managed to develop a stable position on the market of indoor doors and door frames.

In the initial period, it produced varnished doors and fixed door frames. The company develops dynamically, continuously enriching its offer of models and colours. It conducted a number of investments in state-of-the-art machinery, which resulted in launching a new line for production of laminated doors, and soon after that, production of regulated door frames began. Apart from classic models, the company has a wide range of modern models.

Perfectdoor continuously expands its offer, invests in new technologies, people and quality of its products. Some recent novelties introduced to the offer are sliding systems, tunnel door frames and modular doors.

TABLE OF CONTENTS

COMPANY HISTORY ... 2

MODULAR DOORS

PERS ... 6
NEMO ... 8
TRAME, TRAME ALU ... 10
PRIM ... 12
MARS ... 14
KORFU, KORFU ALU ... 16
CREDIS ... 18
PAROS ... 20
SALVIA ... 22
SILENE ... 24
FOGO ... 26
EVIA ... 26

GLASS DOOR

OSKAR ... 30
NOBEL ... 30
GREMIUM ... 31
GLASS 1 ... 33
GLASS 2 ... 33
GLASS 3 ... 33

VENEERED DOORS

BRODWAY ... 36
SAMUN ... 36
PEKIN ... 37
TOP ... 37
CETRA ... 38
GALERIA ... 38
CORTINA ... 39
MEDIOLAN ... 39
MANHATAN ... 40
ZEFIR ... 40
KARO ... 41
TOP-PLUS ... 41
OLGA ... 42
JUNO ... 42
NEWADA ... 43
FALA ... 43
UNO ... 44
CALISTO ... 44
SOLANUM ... 45
BULAJ ... 45

VARNISHED DOORS

KLASYK ... 46

INDOOR ENTRANCE DOORS

OLIVIA ... 47
MARCUS ... 47

SLIDING SYSTEMS

WALL SLIDING SYSTEM ... 50
ALUMINIUM SLIDING SYSTEM ... 52
GLASS SLIDING SYSTEM ... 53
SLIDING SYSTEM HIDDEN IN THE WALL ... 54

DOOR FRAMES

PANEL DOOR FRAME (OP) ... 55
NON-REBATED DOOR FRAME (OPB) ... 56
PANEL TUNNEL (TP) ... 57
ADJUSTED DOOR FRAME (OR) ... 58
SOFT FIXED DOOR FRAME ... 59
TECHNICAL INFORMATION ... 60
ACCESSORIES ... 62

MODULAR DOORS

New type of doors produced by our company from the beginning of 2011. They are characterized by modern design and a massive structure, giving an impression of real wooden doors.

Modern TOP-DECOR veneers with typical graining and structure additionally intensify the impression of natural wood.

Each of the leaf modules is made of solid MDF board, veneered and processed separately with all due diligence and attention. Soundly combined elements provide stability and durability of the whole door structure. Application of modular elements makes it possible to create many different compositions.



Pers

p. 6

Nemo

p. 8

Trame

p. 10

Prim

p. 12

Mars

p. 14

Korfu

p. 16

Credis

p. 18

Paros

p. 20

Salvia

p. 22

Silene

p. 24

Fogo

p. 26

Evia

p. 26

PERS

Pers 1

Pers 2

Pers 3

TOP-DECOR



north oak

rustic nut

Structure:
- modules made from solid MDF board covered with TOP-DECOR film
- rebate or non-rebate system - technical information on page 60

Glazing:
- DECORMAT tempered pane 4mm

Ferrules:
rebate system
- three pivot hinges, countered with a screw, silver zinc
- lock in a version with a key, bathroom version or with an insert, spacing 72/50 silver zinc

non-rebate system
- three hinges inserted with 3D adjustment
- magnetic lock in a version with a key, bathroom version or with an insert, spacing 72/50 silver zinc

Available width:
- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:
- ventilation relief
- leaf „100"
- doors in non-rebate system

  Leaves with or without rebates are equipped with sockets for further installation of hinges that are attached to the door frame.
  Non-rebate leaf is sold included in the set with the door frame (see page 56)
- door for sliding systems

ventilation relief (option)

Rebate version



„soft" edge



screwed countered hinge

Non-rebate version (option)

edge non-rebate

magnetic lock

inserted hinge

NEMO

Nemo 1

Nemo 2

Nemo 3

TOP-DECOR

north oak

golden oak

Structure:

- modules made from solid MDF board covered with TOP-DECOR film
- rebate or non-rebate system - technical information on page 60

Glazing:

- DECORMAT tempered pane 4mm

Ferrules:

rebate system

- three pivot hinges, countered with a screw, silver zinc
- lock in a version with a key, bathroom version or with an insert, spacing 72/50 silver zinc non-rebate system
- three hinges inserted with 3D adjustment
- magnetic lock in a version with a key, bathroom version or with an insert, spacing 72/50 silver zinc

Available width:

- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:

- ventilation relief
- leaf „100"
- doors in non-rebate system

  Leaves with or without rebates are equipped with sockets for further installation of hinges that are attached to the door frame.
  Non-rebate leaf is sold included in the set with the door frame (see page 56)
- door for sliding systems

ventilation relief (option)

Rebate version



„soft" edge



screwed countered hinge

Non-rebate version (option)

edge non-rebate

magnetic lock



inserted hinge

TRAME

Trame 1

Trame Alu 1

Trame 2

Trame 3

Trame Alu 2

Trame Alu 3

PREIMPREGNAT



acacia

bright acacia

*ALU wenge

*ALU white

TOP-DECOR

golden oak

master walnut

sonoma

sonoma oak

grey oak

*ALU rustic nut

Structure:

- modules made from solid MDF board covered with PREIMPREGNAT or TOP-DECOR film
- rebate or non-rebate system - technical information on page 60
- aluminium slat on crosswise panels

Glazing:

- DECORMAT tempered pane 4mm

Ferrules:

rebate system

- three pivot hinges, countered with a screw, silver zinc
- lock in a version with a key, bathroom version or with an insert, spacing 72/50 silver zinc non-rebate system
- three hinges inserted with 3D adjustment
- magnetic lock in a version with a key, bathroom version or with an insert, spacing 72/50 silver zinc

Available width:

- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:

- ventilation relief
- leaf „100"
- doors in non-rebate system

  Leaves with or without rebates are equipped with sockets for further installation of hinges that are attached to the door frame.
  Non-rebate leaf is sold included in the set with the door frame (see page 56)
- door for sliding systems

ventilation relief (option)

Rebate version

„soft" edge

screwed countered hinge

Non-rebate version (option)

edge non-rebate

magnetic lock

inserted hinge

* ALU version available only in these decors
** ALU version only

PRIM

Prim 1

Prim 2

Prim 3

PREIMPREGNAT



bright acacia

wenge

TOP-DECOR

north oak

rustic nut

master walnut

sonoma

sonoma oak

grey oak

Structure:

- modules made from solid MDF board covered with TOP-DECOR or PREIMPREGNAT film
- rebate or non-rebate system - technical information on page 60

Glazing:

- DECORMAT tempered pane 4mm

Ferrules:

rebate system

- three pivot hinges, countered with a screw, silver zinc
- lock in a version with a key, bathroom version or with an insert, spacing 72/50 silver zinc non-rebate system
- three hinges inserted with 3D adjustment
- magnetic lock in a version with a key, bathroom version or with an insert, spacing 72/50 silver zinc

Available width:

- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:

- ventilation relief
- leaf „100"
- doors in non-rebate system

  Leaves with or without rebates are equipped with sockets for further installation of hinges that are attached to the door frame.
  Non-rebate leaf is sold included in the set with the door frame (see page 56)
- door for sliding systems

ventilation relief (option)

Rebate version

„soft" edge

screwed countered hinge

Non-rebate version (option)

edge non-rebate

magnetic lock

inserted hinge

MARS

Mars 1

Mars 2

Mars 3

TOP-DECOR



north oak

rustic nut

Structure:

- modules made from solid MDF board covered with TOP-DECOR film
- rebate or non-rebate system - technical information on page 60

Glazing:

- DECORMAT tempered pane 4mm

Ferrules:

rebate system

- three pivot hinges, countered with a screw, silver zinc
- lock in a version with a key, bathroom version or with an insert, spacing 72/50 silver zinc non-rebate system
- three hinges inserted with 3D adjustment
- magnetic lock in a version with a key, bathroom version or with an insert, spacing 72/50 silver zinc

Available width:

- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:

- ventilation relief
- leaf „100"
- doors in non-rebate system

  Leaves with or without rebates are equipped with sockets for further installation of hinges that are attached to the door frame.
  Non-rebate leaf is sold included in the set with the door frame (see page 56)
- door for sliding systems

ventilation relief (option)

Rebate version



„soft" edge



screwed countered hinge

Non-rebate version (option)

edge non-rebate

magnetic lock

inserted hinge

KORFU

Korfu 1

Korfu Alu 1

Korfu 2

Korfu 3

Korfu Alu 2

Korfu Alu 3

PREIMPREGNAT



TOP-DECOR

Structure:

- modules made from solid MDF board covered with PREIMPREGNAT or TOP-DECOR film
- rebate or non-rebate system - technical information on page 60
- aluminium slat on crosswise panels

Glazing:

- DECORMAT tempered pane 4mm

Ferrules:

rebate system

- three pivot hinges, countered with a screw, silver zinc
- lock in a version with a key, bathroom version or with an insert, spacing 72/50 silver zinc non-rebate system
- three hinges inserted with 3D adjustment
- magnetic lock in a version with a key, bathroom version or with an insert, spacing 72/50 silver zinc

Available width:

- „60", „70", „80", „90" - dimensions on page 60

* ALU version available only in these decors
** ALU version only

Options for extra payment:

- ventilation relief
- leaf „100"
- doors in non-rebate system

  Leaves with or without rebates are equipped with sockets for further installation of hinges that are attached to the door frame.
  Non-rebate leaf is sold included in the set with the door frame (see page 56)
- door for sliding systems

ventilation relief (option)

Rebate version

Non-rebate version (option)

CREDIS

Credis 1

Credis 2

Credis 3

PREIMPREGNAT

wenge

bright acacia

TOP-DECOR

north oak

rustic nut

master walnut

sonoma

sonoma oak

grey oak

Structure:

- modules made from solid MDF board covered with TOP-DECOR or PREIMPREGNAT film
- rebate or non-rebate system - technical information on page 60

Glazing:

- DECORMAT tempered pane 4mm

Ferrules:

rebate system

- three pivot hinges, countered with a screw, silver zinc
- lock in a version with a key, bathroom version or with an insert, spacing 72/50 silver zinc non-rebate system
- three hinges inserted with 3D adjustment
- magnetic lock in a version with a key, bathroom version or with an insert, spacing 72/50 silver zinc

Available width:

- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:

- ventilation relief
- leaf „100"
- doors in non-rebate system

  Leaves with or without rebates are equipped with sockets for further installation of hinges that are attached to the door frame.
  Non-rebate leaf is sold included in the set with the door frame (see page 56)

- door for sliding systems

ventilation relief (option)

Rebate version

„soft" edge

screwed countered hinge

Non-rebate version (option)

edge non-rebate

magnetic lock

inserted hinge

PAROS

Paros 1

Paros 2

Paros 3

TOP-DECOR



golden oak

north oak

rustic nut

sonoma

sonoma oak

grey oak

Structure:

- modules made from solid MDF board covered with TOP-DECOR film
- rebate or non-rebate system - technical information on page 60

Glazing:

- DECORMAT tempered pane 4mm

Ferrules:

rebate system

- three pivot hinges, countered with a screw, silver zinc
- lock in a version with a key, bathroom version or with an insert, spacing 72/50 silver zinc non-rebate system
- three hinges inserted with 3D adjustment
- magnetic lock in a version with a key, bathroom version or with an insert, spacing 72/50 silver zinc

Available width:

- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:

- ventilation relief
- leaf „100"
- doors in non-rebate system

  Leaves with or without rebates are equipped with sockets for further installation of hinges that are attached to the door frame.
  Non-rebate leaf is sold included in the set with the door frame (see page 56)
- door for sliding systems

ventilation relief (option)

Rebate version

„soft" edge

screwed countered hinge

Non-rebate version (option)

edge non-rebate

magnetic lock

inserted hinge

SALVIA

Salvia 1

Salvia 2

Salvia 3

PREIMPREGNAT

wenge

TOP-DECOR



north oak

rustic nut

master walnut

sonoma oak

Structure:

- modules made from solid MDF board covered with PREIMPREGNAT or TOP-DECOR film
- rebate or non-rebate system - technical information on page 60
- aluminium slat on crosswise panels

Glazing:

- DECORMAT tempered pane 4mm

Ferrules:

rebate system

- three pivot hinges, countered with a screw, silver zinc
- lock in a version with a key, bathroom version or with an insert, spacing 72/50 silver zinc non-rebate system
- three hinges inserted with 3D adjustment
- magnetic lock in a version with a key, bathroom version or with an insert, spacing 72/50 silver zinc

Available width:

- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:

- ventilation relief
- leaf „100"
- doors in non-rebate system

  Leaves with or without rebates are equipped with sockets for further installation of hinges that are attached to the door frame.
  Non-rebate leaf is sold included in the set with the door frame (see page 56)
- door for sliding systems

ventilation relief (option)

Rebate version



„soft" edge



screwed countered hinge

Non-rebate version (option)

edge non-rebate

magnetic lock



inserted hinge

SILENE

Silene 1

Silene 2

Silene 3

PREIMPREGNAT

wenge

TOP-DECOR

north oak

rustic nut

master walnut

sonoma oak



Structure:

- modules made from solid MDF board covered with PREIMPREGNAT or TOP-DECOR film
- rebate or non-rebate system - technical information on page 60
- aluminium slat on crosswise panels

Glazing:

- DECORMAT tempered pane 4mm

Ferrules:

rebate system

- three pivot hinges, countered with a screw, silver zinc
- lock in a version with a key, bathroom version or with an insert, spacing 72/50 silver zinc non-rebate system
- three hinges inserted with 3D adjustment
- magnetic lock in a version with a key, bathroom version or with an insert, spacing 72/50 silver zinc

Available width:

- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:

- ventilation relief
- leaf „100"
- doors in non-rebate system

  Leaves with or without rebates are equipped with sockets for further installation of hinges that are attached to the door frame.
  Non-rebate leaf is sold included in the set with the door frame (see page 56)
- door for sliding systems

ventilation relief (option)

Rebate version

„soft" edge

screwed countered hinge

Non-rebate version (option)

edge non-rebate

magnetic lock

inserted hinge

FOGO

Fogo 1

EVIA

Evia 1

Fogo 2

Fogo 3

Evia 2

Evia 3

TOP-DECOR



golden oak

north oak

rustic nut

sonoma

sonoma oak

gray oak

Structure:
- modules made from solid MDF board covered with TOP-DECOR film
- rebate or non-rebate system - technical information on page 60

Glazing:
- DECORMAT tempered pane 4mm

Ferrules:
rebate system
- three pivot hinges, countered with a screw, silver zinc
- lock in a version with a key, bathroom version or with an insert, spacing 72/50 silver zinc non-rebate system
- three hinges inserted with 3D adjustment
- magnetic lock in a version with a key, bathroom version or with an insert, spacing 72/50 silver zinc

Available width:
- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:
- ventilation relief
- leaf „100"
- doors in non-rebate system

  Leaves with or without rebates are equipped with sockets for further installation of hinges that are attached to the door frame.
  Non-rebate leaf is sold included in the set with the door frame (see page 56)
- door for sliding systems

ventilation relief (option)

Rebate version

„soft" edge

screwed countered hinge

Non-rebate version (option)

edge non-rebate

magnetic lock

inserted hinge

GLASS DOOR

Oskar

p. 30

Nobel

p. 30

Gremium

p. 31

Glass 1

p. 33

Glass 2

p. 33

Glass 3

p. 33

OSKAR

application template

PREIMPREGNAT



TOP-DECOR

NOBEL



application template

PREIMPREGNAT



TOP-DECOR

GREMIUM



application template

PREIMPREGNAT



acacia

bright acacia

wenge

white

TOP-DECOR

rustic nut

Structure:
- tempered glass with application placed between modules made of MDF solid board, covered with PREIMPREGNAT or TOP-DECOR film

Glazing:
- pane with DECORMAT application, tempered 8mm

Fittings:
- three pivot hinges, countered with a screw, silver zinc
- lock with a key, bathroom version or with an insert, spacing 72/50 silver zinc

Available widths:
- „70", „80", „90" - dimensions on page 60

Rebate version

„soft" edge

countered screwed hinge

GLASS 1



GLASS 2



GLASS 3



Structure:
- tempered safe pane 8mm with application*

Fittings:
- two specialist hinges with the diameter 15mm with aluminium caps.
- Specialist lock for glass door in key, toilet version or a patent insert.

Available widths:
- „70", „80", „90" - dimensions on page 60

Options for extra payment:
- Lock in toilet version

lock

hinge

Note:
The leaf price includes fittings (2x hinge 1x lock)

* * for models GLASS 2 I GLASS 3

VENEERED DOORS

Brodway

p. 36

Samun

p. 36

Pekin

p. 37

Top

p. 37

Cetra

p. 38

Galeria

p. 38

Cortina

p. 39

Mediolan

p. 39

Manhatan

p. 40

Zefir

p. 40

Karo

p. 41

Top Plus

p. 41

Olga

p. 42

Juno

p. 42

Newada

p. 43

Fala

p. 43

Uno

p. 44

Calisto

p. 44

Solanum

p. 45

Bulaj

p. 45

BRODWAY

Structure:
- yoke of MDF board covered with two HDF boards
- stabilizing filling - paper "honey comb"

Glazing:
- DECORMAT tempered pane 4mm

Fittings:
- two screwed pivot hinges, silver zinc
- lock with a key, in bathroom version of with an insert, spacing 72/50 silver zinc

Available widths:
- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:
- leaf "100" or leaf for sliding systems

Room

Bathroom

Full

frame profile

acacia

bright acacia

wenge

nut

Sicillian nut

alder

calvados

„soft" edge

screwed hinge

SAMUN

Structure:
- yoke of MDF board covered with two HDF boards
- stabilizing filling - paper "honey comb"

Glazing:
- DECORMAT tempered pane 4mm

Fittings:
- two screwed pivot hinges, silver zinc
- lock with a key, in bathroom version of with an insert, spacing 72/50 silver zinc

Available widths:
- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:
- leaf "100" or leaf for sliding systems

Room

Bathroom

Full



slat profile

frame profile



acacia

bright acacia

wenge

„soft" edge

screwed hinge

PEKIN

Structure:
- yoke of MDF board covered with two HDF boards
- stabilizing filling - paper "honey comb"

Glazing:
- DECORMAT tempered pane 4mm

Fittings:
- two screwed pivot hinges, silver zinc
- lock with a key, in bathroom version of with an insert, spacing 72/50 silver zinc

Available widths:
- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:
- leaf "100" or leaf for sliding systems

Room

Bathroom

Full

application template

frame profile



acacia
acacia bright
wenge
nut
Sicillian nut
alder
calvados

„soft" edge
screwed hinge

TOP

Structure:
- yoke of MDF board covered with two HDF boards
- stabilizing filling - paper "honey comb"

Glazing:
- DECORMAT tempered pane 4mm

Fittings:
- two screwed pivot hinges, silver zinc
- lock with a key, in bathroom version of with an insert, spacing 72/50 silver zinc

Available widths:
- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:
- leaf "100" or leaf for sliding systems

Room

Bathroom

Full



slat profile

frame profile



acacia
acacia bright
wenge
nut
alder
calvados

„soft" edge
screwed hinge

CETRA

Room

Structure:
- yoke of MDF board covered with two HDF boards
- stabilizing filling - paper "honey comb"

Glazing:
- DECORMAT tempered pane 4mm

Fittings:
- two screwed pivot hinges, silver zinc
- lock with a key, in bathroom version of with an insert, spacing 72/50 silver zinc

Available widths:
- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:
- leaf "100" or leaf for sliding systems

Bathroom

Full



slat profile

frame profile



acacia

acacia bright

wenge

„soft" edge

screwed hinge

GALERIA

Room

Structure:
- yoke of MDF board covered with two HDF boards
- stabilizing filling - paper "honey comb"

Glazing:
- DECORMAT tempered pane 4mm

Fittings:
- two screwed pivot hinges, silver zinc
- lock with a key, in bathroom version of with an insert, spacing 72/50 silver zinc

Available widths:
- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:
- leaf "100" or leaf for sliding systems

Bathroom

Full

frame profile

acacia

acacia bright

wenge

nut

Sicillian nut

alder

calvados

„soft" edge

screwed hinge

CORTINA

Structure:
- yoke of MDF board covered with two HDF boards
- stabilizing filling - paper "honey comb"

Glazing:
- DECORMAT tempered pane 4mm

Fittings:
- two screwed pivot hinges, silver zinc
- lock with a key, in bathroom version of with an insert, spacing 72/50 silver zinc

Available widths:
- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:
- leaf "100" or leaf for sliding systems

Room

Bathroom

Full



slat profile

frame profile



acacia
acacia bright
alder
wenge
nut
Lviv nut
Sicillian nut
dark oak

TOP-DECOR

master walnut

„soft" edge
screwed hinge

MEDIOLAN

Structure:
- yoke of MDF board covered with two HDF boards
- stabilizing filling - paper "honey comb"

Glazing:
- DECORMAT tempered pane 4mm

Fittings:
- two screwed pivot hinges, silver zinc
- lock with a key, in bathroom version of with an insert, spacing 72/50 silver zinc

Available widths:
- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:
- leaf "100" or leaf for sliding systems

Room

Bathroom

Full



slat profile

frame profile



acacia
acacia bright
alder
wenge
nut
Lviv nut
Sicillian nut
dark oak

TOP-DECOR

master walnut

„soft" edge
screwed hinge

MANHATAN

Structure:
- yoke of MDF board covered with two HDF boards
- stabilizing filling - paper "honey comb"

Glazing:
- DECORMAT tempered pane 4mm

Fittings:
- two screwed pivot hinges, silver zinc
- lock with a key, in bathroom version of with an insert, spacing 72/50 silver zinc

Available widths:
- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:
- leaf "100" or leaf for sliding systems

Room

Bathroom

Full

frame profile



acacia
acacia bright
wenge
nut
Sicilian nut
alder
calvados

„soft" edge
screwed hinge

ZEFIR

Structure:
- yoke of MDF board covered with two HDF boards
- stabilizing filling - paper "honey comb"

Glazing:
- DECORMAT tempered pane 4mm

Fittings:
- two screwed pivot hinges, silver zinc
- lock with a key, in bathroom version of with an insert, spacing 72/50 silver zinc

Available widths:
- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:
- leaf "100" or leaf for sliding systems

Room

Bathroom



Full

frame PCV profile



acacia bright
wenge
nut
alder
calvados

„soft" edge
screwed hinge

KARO

Structure:
- yoke of MDF board covered with two HDF boards
- stabilizing filling - paper "honey comb"

Glazing:
- DECORMAT tempered pane 4mm

Fittings:
- two screwed pivot hinges, silver zinc
- lock with a key, in bathroom version of with an insert, spacing 72/50 silver zinc

Available widths:
- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:
- leaf "100" or leaf for sliding systems

Room

Bathroom

Full

frame profile



acacia
acacia bright
wenge
nut
Sicilian nut
alder
calvados

„soft" edge
screwed hinge

TOP PLUS

Structure:
- yoke of MDF board covered with two HDF boards
- stabilizing filling - paper "honey comb"

Glazing:
- DECORMAT tempered pane 4mm

Fittings:
- two screwed pivot hinges, silver zinc
- lock with a key, in bathroom version of with an insert, spacing 72/50 silver zinc

Available widths:
- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:
- leaf "100" or leaf for sliding systems

Room

Bathroom

Full



slat profile

frame profile



acacia
acacia bright
alder
wenge
nut
Lviv nut
Sicilian nut
dark oak

TOP-DECOR

master walnut

„soft" edge
screwed hinge

OLGA

Structure:
- yoke of MDF board covered with two HDF boards
- stabilizing filling - paper "honey comb"

Glazing:
- DECORMAT tempered pane 4mm

Fittings:
- two screwed pivot hinges, silver zinc
- lock with a key, in bathroom version of with an insert, spacing 72/50 silver zinc

Available widths:
- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:
- leaf "100" or leaf for sliding systems

Room

Bathroom

Full

slat profile

frame profile



JUNO

Structure:
- yoke of MDF board covered with two HDF boards
- stabilizing filling - paper "honey comb"

Glazing:
- DECORMAT tempered pane 4mm

Fittings:
- two screwed pivot hinges, silver zinc
- lock with a key, in bathroom version of with an insert, spacing 72/50 silver zinc

Available widths:
- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:
- leaf "100" or leaf for sliding systems

Room

Bathroom

Full

frame profile



NEWADA

Structure:
- yoke of MDF board covered with two HDF boards
- stabilizing filling - paper "honey comb"

Glazing:
- DECORMAT tempered pane 4mm

Fittings:
- two screwed pivot hinges, silver zinc
- lock with a key, in bathroom version of with an insert, spacing 72/50 silver zinc

Available widths:
- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:
- leaf "100" or leaf for sliding systems

Room

Bathroom

Full



slat profile

frame profile



acacia

acacia bright

wenge

„soft" edge

screwed hinge

FALA

Structure:
- yoke of MDF board covered with two HDF boards
- stabilizing filling - paper "honey comb"

Glazing:
- DECORMAT tempered pane 4mm

Fittings:
- two screwed pivot hinges, silver zinc
- lock with a key, in bathroom version of with an insert, spacing 72/50 silver zinc

Available widths:
- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:
- leaf "100" or leaf for sliding systems

Room

Bathroom

Full



application template

frame profile



acacia

acacia bright

alder

wenge

nut

Lviv nut

Sicilian nut

dark oak

TOP-DECOR

master walnut

„soft" edge

screwed hinge

UNO

Full

Structure:
- yoke of MDF board covered with two HDF boards
- stabilizing filling - paper "honey comb"

Fittings:
- two screwed pivot hinges, silver zinc
- lock with a key, in bathroom version of with an insert, spacing 72/50 silver zinc

Available widths:
- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:
- leaf "100" or leaf for sliding systems

„soft" edge

screwed hinge



acacia

acacia bright

calvados

alder

wenge

nut

Sicilian nut

Lviv nut

white

TOP-DECOR

master walnut

CALISTO

Full

Structure:
- yoke of MDF board covered with two HDF boards
- filling - LDF board with reduced thickness or hollow core particle board - page 61

Fittings:
- three pivot hinges, screwed in and countered with a screw, silver zinc
- two locks per insert, silver zinc
- panoramic spy-hole

Available widths:
- „80", „90" - dimensions on page 60

Options for extra payment:
- leaf "100"

panoramic spy-hole

additional lock



acacia

wenge

nut

„soft" edge

screwed hinge

SOLANUM

Full

Structure:
- yoke of MDF board covered with two HDF boards
- stabilizing filling - paper "honey comb"
- two vertical aluminium stripes on the entire door height

Fittings:
- two screwed pivot hinges, silver zinc
- lock with a key, in bathroom version of with an insert, spacing 72/50 silver zinc

Available widths:
- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:
- leaf "100"

aluminum strips



wenge

Sicilian nut

TOP-DECOR

master walnut

„soft" edge

screwed hinge

BULAJ

Full

Structure:
- yoke of MDF board covered with two HDF boards
- stabilizing filling - paper "honey comb"

Glazing:
- Round bull-eye window with a metal rim and hardened DECORMAT pane 4mm

Fittings:
- two screwed pivot hinges, silver zinc
- lock with a key, in bathroom version of with an insert, spacing 72/50 silver zinc

Available widths:
- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:
- leaf "100" or leaf for sliding systems

bull-eye



„soft" edge

screwed hinge

acacia

acacia bright

calvados

alder

wenge

nut

Sicilian nut

Lviv nut

white

TOP-DECOR

master walnut

VARNISHED DOORS

KLASYK

Structure:
- Yoke made from MDF board covered with two varnished HDF boards
- rabbet and rebate veneered on the edge
- stabilizing filler - paper „honey comb"

Glazing:
- ORNAMENT pane „oak bark" 4mm

Fittings:
- two screwed pivot hinges, silver zinc
- lock in a version with a key, bathroom version or with an insert, spacing 72/50 silver zinc

Available width:
- „60", „70", „80", „90" - dimensions on page 60

Options for extra payment:
- leaf „100

Room

Bathroom

Full

profile of PVC slat

profile of PVC frame

VARNISH

INDOOR ENTRANCE DOORS

OLIVIA

Internal entrance reinforced doors veneered with PVC.

The doors are recommended to be used as entrance doors from the staircase to the apartment.
Structure of the leaf is made of wood-derivative materials.
Filling is made of stabilizing slats and foamed polystyrene.
Panels after decorative elements are installed on them, are veneered with PVC films with wood-like design.
Standard equipment includes: 2 three-bolt locks with a patent insert, 3 pivot hinges, wide angle spyhole, 3 bolts protecting against forcing.
The doors have technical approval: ITB AT-15-6945/2009

Available width:
- „80", „90"

Available width:
- leaf „100"

main lock

additional lock



MARCUS

Reinforced technical fire escape doors EI.

Indoor reinforced entrance fire escape doors veneered with finish foil - set (with the door frame).
Indoor entrance doors of increased fire resistance class EI30.
The doors are recommended to be used as entrance doors from the staircase and corridors to public utility rooms, hotels and apartments.
The leaf has been covered with two HDF boards veneered with finish foil.
The structure of the leaf is made of fireproof materials. Filling are stabilizing slats and mineral wool.
An integral part of the doors with increased fire resistance, is fixed frame 90x43 along with seals and smoke holes.
The doors are additionally equipped with 3 pivot hinges, 3 bolts protecting against forcing, upper and lower lock.
Optionally, additional self-closing mechanisms are available.

Available width:
- „80", „90"

main lock

additional lock

SLIDING SYSTEMS

WALL SLIDING SYSTEM

p. 50

ALUMINIUM SLIDING SYSTEM

p. 52

GLASS SLIDING SYSTEM



p. 53

COLOURS OF SLIDING SYSTEMS AND DOOR FRAMES

PREIMPREGNAT

TOP-DECOR

System hidden in the wall

WALL SLIDING SYSTEM

This solution enables easy assembly of the leaf in rooms where you cannot or you do not want use traditional spreading doors. The door leaf or leaves (in the case of a double system) move on aluminum guides placed above the door opening.

The sliding system includes:

- Aluminum guide along with rolls and installation elements
- Spacer slat
- Curtain rail- masking frame in the leave colour
- Guard beam in the leave colour (not included in the double system)

Sliding leaves:

For the wall sliding system we use a sliding door leaf without rebates with the dimensions of:

- Single system : „60", „70", „80", „90"
- Double system: „2x60", „2x70", „2x80", „2x90"

In this version, all leaves from this catalogue are available, apart from models „Calisto", „Klasyk", „Oskar", „Nobel", „Gremium", „Glass 1", „Glass 2", „Glass 3". In case of application of modular doors there is no possibility of ventilation relief in a sliding leaf.

Options for extra payment:

- Steel oval or round hand rails, golden or chromium colour. Set of hand-rails for one sliding leave consists of 2 pieces.
- Hook lock with a complete set of oval or round hand-rails in with a key or in toilet version with gold or chromium colour

HAND-RAILS

round
chromium colour

round
gold colour

oval
chromium colour

oval
kolor złoty

HOOK LOCKS

With a round plate

With an oval plate

Widths of wall sliding systems

	SINGLE SYSTEM				DOUBLE SYSTEM			
	60	70	80	90	2x60	2x70	2x80	2x90
S	644	744	844	944	2X644	2X744	2X844	2X944
E	1682	1682	1982	1982	3332	3332	3996	3996



Single left



Single right



Double

Dimensions (width) - single system

	60	70	80	90
S	644	744	844	944
A	600	700	800	900
B	643	743	843	943
C	680	780	880	980
D	745	845	945	1045

Dimensions (width) - double system

	2x60	2x70	2x80	2x90
S	2x644	2x744	2x844	2x944
A	1200	1400	1600	1800
B	1243	1443	1643	1843
C	1280	1480	1680	1880
D	1345	1545	1745	1945







Sliding wall system with installation



Wall sliding system without installation

ALUMINIUM SLIDING SYSTEM

This solution is similar to ordinary sliding wall system, however, here an aluminum rail is at the same time a spacer to which we directly fix aluminium curtain rail with caps. Simple structure and small number of constituent elements makes is the simplest sliding system to install.



The sliding system includes:

- aluminium guide with rolls
- masking frame with side caps.

Sliding leaves:

For the wall sliding system we use a sliding door leaf without rebates with the dimensions of:

- Single system: „60", „70", „80", „90"
- Double system: „2x60", „2x70", „2x80", „2x90"

In this version, all leaves from this catalogue are available, apart from models „Calisto", „Klasyk", „Oskar", „Nobel", „Gremium", „Glass 1", „Glass 2", „Glass 3". In case of application of modular doors, there is no possibility of making ventilation relief in a sliding leaf.

Options for extra payment:

- Steel oval or round hand-rails, in golden or chromium colour. Set of hand-rails for one sliding leave consists of 2 pieces.

GLASS SLIDING SYSTEM



Sliding system with action identical as an ordinary wall sliding system, however, here a sliding door leaf is replaced by a pane of tempered safe glass with the thickness of 8mm. Thanks to an innovative clamp system it is not necessary to drill holes in glass to hang the pane.

The sliding system includes:

- aluminium guide with rollers and installation elements
- curtain rail-aluminium masking frame with side caps
- glass pane with a drilled hole for the hand-rail
- metal round silver hand-rail.



COLOURS GLASS

black

red

satin

Options for extra payment:

- Self-closer - servomotor installed inside the rail, enabling smooth closing of the leaf.





HIDDEN SLIDING SYSTEM

Sliding system as aluminium structure for installation of cardboard-gypsum board for one-leaf or two-leaf doors hidden in the wall.



The sliding system includes:

- aluminum panel with installation elements
- masking frames in the sliding leaf colour.

Sliding leaves:

For the sliding system hidden in the wall we use a sliding door leaf without rebates, with the dimensions:

- Single system: „60", „70", „80", „90"
- Double system: „2x60", „2x70", „2x80", „2x90"

In this version, all leaves from this catalogue are available, apart from models „Calisto", „Klasyk", „Oskar", „Nobel", „Gremium", „Glass 1", „Glass 2", „Glass 3". In case of application of modular doors, there is no possibility of making ventilation relief in a sliding leaf.

Options for extra payment:

- Steel oval or round hand rails, golden or chromium colour . Set of hand-rails for one sliding leave consists of 2 pieces.
- Hook lock with a complete set of oval or round hand-rails in a version with a key or toilet version, in gold or chromium colour

NOTE: System provided only to the wall thickness of 125mm

	WIDTH LEAF	HEIGHT LEAF	C	D	E	F	G	H	H1
60	644	2040	1280	620	604	640	640	2020	2120
70	744		1480	720	704	740	740		
80	844		1680	820	804	840	840		
90	944		1880	920	904	940	940		
2 x 60	644 X 2		2460	620	1190	1220	640		
2 x 70	744 X 2		2860	720	1390	1420	740		
2 x 80	844 X 2		3260	820	1590	1620	840		
2 x 90	944 X 2		3660	920	1790	1820	940		

PANEL DOOR FRAME (OP)





* suggested height of the wall hole

Structure:

The door frame body consists of the MDF board with the thickness of 22mm. The front part (from the door side) and the adjustment part are flat angular strips. The above elements are covered with PREIMPREGNAT or TOP-DECOR film (page 49). The product enables changing width in the range of 20mm, and different scopes enable placing it in a wall with the thickness from 80mm to 500mm. Every panel frame has an option of the third hinge.

Application:

Panel frame (OP) applies to:

- with bolted two hinges: all indoor doors with rebates, varnished and laminated apart from „Calisto"
- with bolted three hinges: all modular and glass doors, models „Oskar", „Nobel" and „Gremium"
- with bolted three hinges and additional upper sheet: „Calisto" doors
- with bolted two hinges 015mm and a special catch for GLASS 1, GLASS 2, GLASS 3.

The panel frame consists of:

A set of vertical right or left bases (according to door opening direction) along with masking elements, hinges, door seal, accessories needed for door frame installation, upper horizontal beam suitable for the door leaf width along with masking elements. The door frame in packed in cardboard packaging (upper horizontal beam is placed in a separate carton, just like the expanding panels included in sets above the range of OP-7).



Scopes of adjusted door frames (OP)

SYMBOL	SCOPE	QUANTITY OF PANELS
OP-1	80-100	1
OP-2	100-120	1
OP-3	120-140	1
OP-4	140-160	1
OP-5	160-180	1
OP-6	180-200	1
OP-7	200-220	1
OP-8	220-240	2
OP-9	240-260	2
OP-10	260-280	2
OP-11	280-300	2
OP-12	300-320	2
OP-13	320-340	2
OP-14	340-360	2
OP-15	360-380	3
OP-16	380-400	3
OP-17	400-420	3
OP-18	420-440	3
OP-19	440-460	3
OP-20	460-480	3
OP-21	480-500	3

* colours on page 49

Panel frame (OP)

						DOUBLE LEAVES									
	60	70	80	90	100	2x60	60+70	60+80	60+90	2x70	70+80	70+90	2x80	80+90	2x90
S	644	744	844	944	1044	2x644	644+744	644+844	644+944	2x744	744+844	744+944	2x844	844+944	2x944
A	599	699	799	899	999	1246	1346	1446	1546	1446	1546	1646	1646	1746	1846
B	625	725	825	925	1025	1272	1372	1472	1572	1472	1572	1672	1672	1772	1872
C	643	743	843	943	1043	1290	1390	1490	1590	1490	1590	1690	1690	1790	1890
D**	680	780	880	980	1080	1327	1427	1527	1627	1527	1627	1727	1727	1827	1927
E	745	845	945	1045	1145	1392	1492	1592	1692	1592	1692	1792	1792	1892	1992

** suggested width of the wall hole

NON-REBATED DOOR FRAME (OPB)

Structure:

The door frame in suitable for installation of non-rebate doors with invisible hinges. The body consists of the MDF board with the thickness of 22mm. The front part (from the door side) and the adjustment part are flat angular strips. The above elements are covered with PREIMPREGNAT or TOP-DECOR film (page. 49). The product enables changing width in the range of 20mm, and different scopes enable placing it in a wall with the thickness from 96mm to 516mm.

Application:

Adjusted door frame (OPB) applies to:

- All models of leaves from this catalogue, present in a spread non-rebate version.

The non-rebate panel frame consists of:

A set of vertical right or left bases (according to door opening direction) along with masking elements, invisible hinges, door seal, accessories needed for door frame installation, upper horizontal beam suitable for the door leaf width along with masking elements. The door frame in packed in cardboard packaging (upper horizontal beam is placed in a separate carton, just like the expanding panels included in sets above the range of OPB-7).

NOTE!!!
For non-rebate door frame installation, it will be necessary to provide additional losses in the wall hole to make space for covers of hidden hinges.





* suggested height of the wall hole

Scopes of adjusted door frames (OPB)

SYMBOL	SCOPE	QUANTITY OF PANELS
OPB-1	96-116	1
OPB-2	116-136	1
OPB-3	136-156	1
OPB-4	156-176	1
OPB-5	176-196	1
OPB-6	196-216	1
OPB-7	216-236	1
OPB-8	236-256	2
OPB-9	256-276	2
OPB-10	276-296	2
OPB-11	296-316	2
OPB-12	316-336	2
OPB-13	336-356	2
OPB-14	356-376	2
OPB-15	376-396	3
OPB-16	396-416	3
OPB-17	416-436	3
OPB-18	436-456	3
OPB-19	456-476	3
OPB-20	476-496	3
OPB-21	496-516	3

* colours on page 49

Dimensions (width) of adjusted door frames (OPB)

	60	70	80	90	100
S	618	718	818	918	1018
A	599	699	799	899	999
B	625	725	825	925	1025
C	643	743	843	943	1043
D**	680	780	880	980	1080
E	745	845	945	1045	1145

**suggested width of the wall hole

PANEL TUNNEL (TP)



Structure:

The panel tunnel is a product designed for decorative cover of the wall hole, or as an option for the wall sliding system (page 50). the product is structurally very similar to the panel frame, however, it does not have hinges, a lock catch and milling for the seal. The body consists of the MDF board with the thickness of 22mm. The front part and the adjustment part are flat angular strips. The above elements are covered with PREIMPREGNAT or TOP-DECOR film (page 49).
The product enables changing width in the range of 20mm, and different scopes enable placing it in a wall with the thickness from 80mm to 500mm.



* suggested height of the wall hole

Application:

The panel tunnel (by TP) applies to :

- independent product for covering the passage in the wall hole
- option for the wall sliding system

The panel tunnel consists of:

A set of vertical bases along with masking elements, accessories needed for tunnel installation, upper horizontal beam suitable for the width of the wall hole along with masking elements.
The tunnel is packed in cardboard packaging (upper horizontal beam is placed in a separate carton, just like the expanding panels included in sets above the range of TP-7).



Scopes of panel tunnels (by TP)

SYMBOL	SCOPE	QUANTITY OF PANELS
TP-1	80-100	1
TP-2	100-120	1
TP-3	120-140	1
TP-4	140-160	1
TP-5	160-180	1
TP-6	180-200	1
TP-7	200-220	1
TP-8	220-240	2
TP-9	240-260	2
TP-10	260-280	2
TP-11	280-300	2
TP-12	300-320	2
TP-13	320-340	2
TP-14	340-360	2
TP-15	360-380	3
TP-16	380-400	3
TP-17	400-420	3
TP-18	420-440	3
TP-19	440-460	3
TP-20	460-480	3
TP-21	480-500	3

* colours on page 49

Panel tunnel (TP)

	60	70	80	90	100	2x60	60+70	60+80	60+90	2x70	70+80	70+90	2x80	80+90	2x90
A	599	699	799	899	999	1246	1346	1446	1546	1446	1546	1646	1646	1746	1846
B	625	725	825	925	1025	1272	1372	1472	1572	1472	1572	1672	1672	1772	1872
C	643	743	843	943	1043	1290	1390	1490	1590	1490	1590	1690	1690	1790	1890
D**	680	780	880	980	1080	1327	1427	1527	1627	1527	1627	1727	1727	1827	1927
E	745	845	945	1045	1145	1392	1492	1592	1692	1592	1692	1792	1792	1892	1992

** suggested width of the wall hole

ADJUSTED DOOR FRAME (OR)





* suggested height of the wall hole

Structure:

Made of solid MDF board with the thickness of 44mm. An adjustment element is an angular strip with rounded profile enabling changing width in the range of 30mm. The product enables using in walls with the thickness from 75mm to 315mm. The masking element from the face of the frame is a semicircular strip. The above elements are covered with PREIMPREGNAT or TOP-DECOR film.
It is available both in 2-and 3-hinge version.

Application:

The adjusted frame (OR) applies to:

- two-hinge system with hinges screwed and countered with a screw: all indoor rebate doors are varnished and laminated apart from „Calisto"
- three-hinge system with hinges secured with a bolt and screwed with a screw: all modular and glass doors, models „Oskar", „Nobel" and „Gremium".
- three-hinge system with hinges secured with a bolt and screwed with a screw and additional upper sheet: „Calisto" doors.

The adjusted frame consists of:

A set of vertical right or left bases (according to door opening direction) along with matching strips: angular and semicircular, hinges, door seal, accessories needed for door frame installation, upper horizontal beam suitable for the door leaf width along with matching strips: angular and semicircular. The frame is packed in cardboard packaging (upper horizontal beam, along with its strips is placed in a separate carton).



Scopes of regulated frames (OR)

SYMBOL	SCOPE
OR-1	75-105
OR-2	105-140
OR-3	140-175
OR-4	175-210
OR-5	210-245
OR-6	245-280
OR-7	280-315

Adjusted frame (OR)

						DOUBLE LEAVES									
	60	70	80	90	100	2x60	60+70	60+80	60+90	2x70	70+80	70+90	2x80	80+90	2x90
S	644	744	844	944	1044	2x644	644+744	644+844	644+944	2x744	744+844	744+944	2x844	844+944	2x944
A	597	697	797	897	997	1244	1344	1444	1544	1444	1544	1644	1644	1744	1844
B	625	725	825	925	1025	1272	1372	1472	1572	1472	1572	1672	1672	1772	1872
C	685	785	885	985	1085	1332	1432	1532	1632	1532	1632	1732	1732	1832	1932
D**	715	815	915	1015	1115	1362	1462	1562	1662	1562	1662	1762	1762	1862	1962
E	761	861	961	1061	1161	1408	1508	1608	1708	1608	1708	1808	1808	1908	2008
F	793	893	993	1093	1193	1440	1540	1640	1740	1640	1740	1840	1840	1940	2040

** suggested width of the wall hole

SOFT FIXED DOOR FRAME





* suggested height of the wall hole

Structure:

The frame is made of solid MDF boards with the thickness of 44mm and covered with PREIMPREGNAT or TOP-DECOR film (page 49). It has the constant width of 90mm.
It is available both in 2- and 3-hinge version. The door frame can be used with masking strips and quarter rounds.

Application:

The fixed frame applies to:

- two-hinge system with hinges screwed and countered with a screw: all indoor rebate doors are varnished and laminated apart from „Calisto"
- three-hinge system with hinges secured with a bolt and screwed with a screw: all modular and glass doors, models „Oskar", „Nobel" and „Gremium"
- three-hinge system with hinges secured with a bolt and screwed with a screw and additional upper sheet: „Calisto" doors.

The frame consists of:

A set of vertical right or left bases (according to door opening direction), hinges, door seal, accessories needed for door frame installation, upper horizontal beam suitable for the door leaf width. The frame is packed in cardboard packaging (upper horizontal beam is placed in a separate carton).

Masking elements (option)

quarter round

flat strip



SECTION
QUARTER ROUND



SECTION
MASKING STRIP



SOFT FIXED DOOR FRAME

						DOUBLE LEAVES									
	60	70	80	90	100	2x60	60+70	60+80	60+90	2x70	70+80	70+90	2x80	80+90	2x90
S	644	744	844	944	1044	2x644	644+744	644+844	644+944	2x744	744+844	744+944	2x844	844+944	2x944
A	597	697	797	897	997	1244	1344	1444	1544	1444	1544	1644	1644	1744	1844
B	625	725	825	925	1025	1272	1372	1472	1572	1472	1572	1672	1672	1772	1872
C	685	785	885	985	1085	1332	1432	1532	1632	1532	1632	1732	1732	1832	1932
D**	715	815	915	1015	1115	1362	1462	1562	1662	1562	1662	1762	1762	1862	1962

** suggested width of the wall hole

TECHNICAL INFORMATION

DIMENSIONING



REBATE LEAF



NON-REBATE LEAF



SLIDING LEAF



GLASS LEAF



SLIDING GLASS LEAF



GROOVE
SLIDING LEAF

Leaf width

DIMENSION	S	SW
"60"	644	618
"70"	744	718
"80"	844	818
"90"	944	918
"100"	1044	1018

DOOR DIRECTIONS

right leaf



left leaf



TWO-LEAF DOORS

In two-leaf doors, we can use any models of leaves from this catalogue, apart from Glass 1, Glass 2, Glass 3, Calisto, Olivia, Marcus. It is possible to freely combine leaf width „60", „70", „80", „90".
The active leaf is a standard spread leaf, while the passive leaf has a stopping plate installed on the rabbet, containing dampers and a lock catch.

The price of a two-leaf door includes the price of each leaf+ price of stopping strip.
The price of fixed, adjusted and panel frame for double doors is 30% higher.

Information about dimensions of two-leaf doors can be found on pages: 55, 58, 59.

damper in
a stopping strip

double right leaves



double left leaves



FILLING TYPES



Paper „honey comb"

Slab LDF reduced density



Slab chipboard opening

ACCESSORIES

GAMET HANDLES

1

2

2

3

4

5

6

7

8

9

10

11

12

12

13

14

14

15

No.	Name
1	HANDLE VERSA DH-02 (SPLIT PLATE)
2	HANDLE VERSA DH-02 (LONG PLATE FOR KEY, INSERT)
3	HANDLE VERSA DH-02 (LONG PLATE FOR TOILET)
4	HANDLE HYDRA DH-14 (SPLIT PLATE, SQUARE-COLOUR 06/07/AB)
5	HANDLE HYDRA DH-14 (LONG PLATE FOR KEY, INSERT)
6	HANDLE HYDRA DH-14 (LONG PLATE FOR TOILET)
7	HANDLE IMPERA DH-04 (SPLIT PLATE)
8	HANDLE ARCUS DH-08 (SPLIT PLATE)
9	HANDLE LIBRA DH-11 (SPLIT PLATE, SQUARE-COLOUR 06/07/AB)
10	HANDLE LACRIMA DH-16 (SPLIT PLATE)
11	HANDLE FUTURE DH-17 (SPLIT PLATE)
12	ROUND PLATE PLT-25 (KEY, INSERT)
13	ROUND PLATE PLT-25 (FOR TOILET)
14	SQUARE PLATE PLT-25- (KEY, INSERT)
15	SQUARE PLATE PLT-25- (FOR TOILET)

ALUBRASS HANDLES

1

2

3

4

5

6

7

8

8

9

9

10

10

11

12

12

13

No.	Name
1	HANDLE BRAVO (SPLIT PLATE)
2	HANDLE SILVIA (SPLIT PLATE)
3	HANDLE STANDARD (SPLIT PLATE)
4	HANDLE CARO (SPLIT PLATE)
5	HANDLE DORA (SPLIT PLATE)
6	HANDLE DAJANA (SPLIT PLATE)
7	HANDLE IGA (SPLIT PLATE)
8	HANDLE IGA (LONG PLATE KEY, INSERT)
9	HANDLE TORINO (LONG PLATE KEY, INSERT)
10	ROUND PLATE (KEY, INSERT)
11	ROUND PLATE (FOR TOILET)
12	SQUARE PLATE (KEY, INSERT)
13	SQUARE PLATE (FOR TOILET)

TRADE REPRESENTATIVES - CONSULTANTS

Zachodnio-pomorskie
Pomorskie
Kujawsko-pomorskie
Wielkopolskie
Lubuskie

Phone no. 512-228-745

Warmińsko-mazurskie
Podlaskie
Mazowieckie
Łódzkie
Świętokrzyskie
Lubelskie
Podkarpackie
Małopolskie
Śląskie
Opolskie
Dolnośląskie

Phone no. 515-268-404

PerfectDoor

PerfectDoor Sp. z o.o., ul. Fabryczna 1, 27-415 Kunów
Phone: 41-261-15-77 or 41-271-37-96, Fax: 41-261-15-53
perfectdoor@perfectdoor.pl
www.perfectdoor.pl

TRADE PARTNER

RESERVATIONS!

The manufacturer reserves the right to change prices and available products without prior notification.

Samplers of colours may vary in reality from those presented in this catalogue.

Please consult the colours with original samples available at our distributors.

The catalogue does not constitute an offer as defined by the law and is published only for information purposes.