



■ Modular doors

Modular doors construction	str. 4-5
Toronto	str. 6-7
Arko	str. 8-9
Ares	str. 10-11
Paros	str. 12-13
Brytania	str. 14-15
Alfa	str. 16-17
Evia	str. 18-19
Pers	str. 20-21
Salwador	str. 22-23
Tytan	str. 24-25
Fresno	str. 26-27
Mira	str. 28-29
Korfu	str. 30-31
Erie	str. 32-33
Erie Alu	str. 34-35
Atos	str. 36-37
Margo	str. 38
Thor	str. 39
Elegant	str. 40
Retro	str. 41
Adara	str. 42
Nonrebated doors	str.43

■ Flush doors

Flush doors construction	str. 44-45
Ceres	str. 46
Roco	str. 47
Klaro	str. 48
Doro	str. 49
Lago	str. 50
Devon	str. 51
Preston Plus	str. 52

■ Investment doors

Investment doors construction	str. 53
Investment doors	str. 54
Meteor	str. 55
Uno	str. 56
Linos, Linos Alu	str. 57
Solid Pro, Solid Alu Pro	str. 58
Volume, Volume Alu	str. 59
Volume Set, Volume Alu Set	str. 60
Marcus EI30, Marcus EI60	str. 61

■ Systems

Double-doors system	str. 62
Hidden cassette system	str. 63
On-wall system	str. 64
Design Line On-wall system	str. 65
Sara Pro secret system	str. 66

■ Frames

Adjustable frame (OR) (OW)	str. 69
Adjustable frame (OR) (OW) 90°	str. 68
Adjustable tunnel ((TR) (TW)	str. 69
Adjustable tunnel ((TR) (TW) 90°	str. 70
Nonrebated frame (ORB)	str. 71
Nonrebated frame (ORB) 90°	str. 72
Soft edge fixed frame (OS)	str. 73
Overlay frame (ON) (TN)	str. 74
Flooring skirts	str. 75

■ Information

Dimensions	str. 76
Accessories	str. 77
Colours	str. 78



Modular doors has modern design and innovative construction solutions. Stable, massive construction makes high quality product underlined with Top Decor foils (visual and haptic wood reproduction), CPL (high tearing resistant laminates) and Ecoline (even more tearing resistance and wood structure looks).

Construction based on elements allows client to create even the most demanding design concepts.

Modular doors construction




Stable jointing

Elements combined together with wooden bolts and glue layer



Construction

Full solid MDF ensuring stable frame construction



Surface

Elements wrapped in ecological and innovative decorative materials



Glazing

Flexible, frameless glazing system. On modular doors we use Satin 4mm DECORMAT glass



Fittings

3 adjustable ball-bearing hinges/silver zinc



Equipment

Locks in versions Room/Toilet/Savings lock/Cylinder lock with 72/50 spacing in silver zinc decor



Toronto str. 6-7



Arko str. 8-9



Ares str. 10-11



Paros str. 12-13



Brytania str. 14-15



Alfa str. 16-17



Evia str. 18-19



Pers str. 20-21



Salvador str. 22-23



Tytan str. 24-25



Fresno str. 26-27



Mira str. 28-29



Korfu str. 30-31



Erie/Alu str. 32-35



Atos str. 36-37



Margo str. 38



Thor str. 39



Elegant str. 40



Retro str. 41



Adara str. 42



CONSTRUCTION

- Solid MDF stable frame construction
- 4mm DECORMAT satin glass

INCLUDED IN SET

- Lock in versions Room/Toilet/Savings lock
- 3 adjustable ball-bearing hinges/silver zinc

AVAILABLE WIDTH

- 60' / 70' / 80' / 90' /
- 40 cm- double-door system addition

TORONTO₁

AVAILABLE OPTIONS

Double-door system	str. 62
On-wall system, Hidden cassette system	str. 63-64
Adjustable frame (OR) (OW)	str. 66
Soft edge fixed frame (OS)	str. 68
Nonrebated frame (ORB)	str. 69
Overlay frame (ON)	str. 70

EXTRA CHARGE SOLUTIONS

Ventilation undercut
Ventilation tubes
100' sized door
Nonrebated door
Sliding door system

TECHNICAL DATA

General Information	str. 4
Dimensions	str. 72



TORONTO 2



TORONTO 3



TORONTO 4



TORONTO 5



TORONTO 6



TORONTO 7



TORONTO 8




TORONTO 9




TORONTO 10


Top-Decor



Laminat CPL



Ecoline





CONSTRUCTION

- Solid MDF stable frame construction
- 4mm DECORMAT satin glass

INCLUDED IN SET

- Lock in versions Room/Toilet/Savings lock
- 3 adjustable ball-bearing hinges/silver zinc

AVAILABLE WIDTH

- 60' / 70' / 80' / 90' /
- 40 cm- double-door system addition

ARKO 1

AVAILABLE OPTIONS

Double-door system	str. 62
On-wall system, Hidden cassette system	str. 63-64
Adjustable frame (OR) (OW)	str. 66
Soft edge fixed frame (OS)	str. 68
Nonrebated frame (ORB)	str. 69
Overlay frame (ON)	str. 70

EXTRA CHARGE SOLUTIONS

Ventilation undercut
Ventilation tubes
100' sized door
Nonrebated door
Sliding door system

TECHNICAL DATA

General Information	str. 4
Dimensions	str. 72



ARCO 2



ARCO 3



ARCO 4




ARCO 5




ARCO 6


Top-Decor




Laminat CPL



Ecoline





CONSTRUCTION

- Solid MDF stable frame construction
- 4mm DECORMAT satin glass

INCLUDED IN SET

- Lock in versions Room/Toilet/Savings lock
- 3 adjustable ball-bearing hinges/silver zinc

AVAILABLE WIDTH

- 60' / 70' / 80' / 90' /
- 40 cm- double-door system addition

ARES₁

AVAILABLE OPTIONS

Double-door system	str. 62
On-wall system, Hidden cassette system	str. 63-64
Adjustable frame (OR) (OW)	str. 66
Soft edge fixed frame (OS)	str. 68
Nonrebated frame (ORB)	str. 69
Overlay frame (ON)	str. 70

EXTRA CHARGE SOLUTIONS

Ventilation undercut	
Ventilation tubes	
100' sized door	
Nonrebated door	
Sliding door system	

TECHNICAL DATA

General Information	str. 4
Dimensions	str. 72



ARES 2



ARES 3



ARES 4



ARES 5



ARES 6




ARES 7




ARES 8


Top-Decor



Laminat CPL



Ecoline





CONSTRUCTION

- Solid MDF stable frame construction
- 4mm DECORMAT satin glass

INCLUDED IN SET

- Lock in versions Room/Toilet/Savings lock
- 3 adjustable ball-bearing hinges/silver zinc

AVAILABLE WIDTH

- 60' / 70' / 80' / 90' /
- 40 cm- double-door system addition

PAROS 1

AVAILABLE OPTIONS

Double-door system	str. 62
On-wall system, Hidden cassette system	str. 63-64
Adjustable frame (OR) (OW)	str. 66
Soft edge fixed frame (OS)	str. 68
Nonrebated frame (ORB)	str. 69
Overlay frame (ON)	str. 70

EXTRA CHARGE SOLUTIONS

Ventilation undercut
Ventilation tubes
100' sized door
Nonrebated door
Sliding door system

TECHNICAL DATA

General Information	str. 4
Dimensions	str. 72



PAROS 2



PAROS 3



PAROS 4




PAROS 5




PAROS 6


Top-Decor



Laminat CPL



Ecoline





CONSTRUCTION

- Solid MDF stable frame construction
- 4mm DECORMAT satin glass

INCLUDED IN SET

- Lock in versions Room/Toilet/Savings lock
- 3 adjustable ball-bearing hinges/silver zinc

AVAILABLE WIDTH

- 60' / 70' / 80' / 90' /
- 40 cm- double-door system addition

BRYTANIA₁

AVAILABLE OPTIONS

Double-door system	str. 62
On-wall system, Hidden cassette system	str. 63-64
Adjustable frame (OR) (OW)	str. 66
Soft edge fixed frame (OS)	str. 68
Nonrebated frame (ORB)	str. 69
Overlay frame (ON)	str. 70

EXTRA CHARGE SOLUTIONS

Ventilation undercut
Ventilation tubes
100' sized door
Nonrebated door
Sliding door system

TECHNICAL DATA

General Information	str. 4
Dimensions	str. 72



BRYTANIA 2



BRYTANIA 3



BRYTANIA 4



BRYTANIA 5




BRYTANIA 6




BRYTANIA 7

Top-Decor



Laminat CPL





CONSTRUCTION

- Solid MDF stable frame construction
- 4mm DECORMAT satin glass

INCLUDED IN SET

- Lock in versions Room/Toilet/Savings lock
- 3 adjustable ball-bearing hinges/silver zinc

AVAILABLE WIDTH

- 60' / 70' / 80' / 90' /
- 40 cm- double-door system addition

ALFA 1

AVAILABLE OPTIONS

Double-door system	str. 62
On-wall system, Hidden cassette system	str. 63-64
Adjustable frame (OR) (OW)	str. 66
Soft edge fixed frame (OS)	str. 68
Nonrebated frame (ORB)	str. 69
Overlay frame (ON)	str. 70

EXTRA CHARGE SOLUTIONS

Ventilation undercut
Ventilation tubes
100' sized door
Nonrebated door
Sliding door system

TECHNICAL DATA

General Information	str. 4
Dimensions	str. 72



ALFA 2



ALFA 3



ALFA 4



ALFA 5



ALFA 6



ALFA 7



ALFA 8




ALFA 9




ALFA 10


Top-Decor



Laminat CPL



Ecoline





CONSTRUCTION

- Solid MDF stable frame construction
- 4mm DECORMAT satin glass

INCLUDED IN SET

- Lock in versions Room/Toilet/Savings lock
- 3 adjustable ball-bearing hinges/silver zinc

AVAILABLE WIDTH

- 60' / 70' / 80' / 90' /
- 40 cm- double-door system addition

EVIA 1

AVAILABLE OPTIONS

Double-door system	str. 62
On-wall system, Hidden cassette system	str. 63-64
Adjustable frame (OR) (OW)	str. 66
Soft edge fixed frame (OS)	str. 68
Nonrebated frame (ORB)	str. 69
Overlay frame (ON)	str. 70

EXTRA CHARGE SOLUTIONS

Ventilation undercut	
Ventilation tubes	
100' sized door	
Nonrebated door	
Sliding door system	

TECHNICAL DATA

General Information	str. 4
Dimensions	str. 72



EVIA 2



EVIA 3



EVIA 4



EVIA 5




EVIA 6




EVIA 7


Top-Decor




Laminat CPL



Ecoline





CONSTRUCTION

- Solid MDF stable frame construction
- 4mm DECORMAT satin glass

INCLUDED IN SET

- Lock in versions Room/Toilet/Savings lock
- 3 adjustable ball-bearing hinges/silver zinc

AVAILABLE WIDTH

- 60' / 70' / 80' / 90' /
- 40 cm- double-door system addition

PERS₁

AVAILABLE OPTIONS

Double-door system	str. 62
On-wall system, Hidden cassette system	str. 63-64
Adjustable frame (OR) (OW)	str. 66
Soft edge fixed frame (OS)	str. 68
Nonrebated frame (ORB)	str. 69
Overlay frame (ON)	str. 70

EXTRA CHARGE SOLUTIONS

Ventilation undercut
Ventilation tubes
100' sized door
Nonrebated door
Sliding door system

TECHNICAL DATA

General Information	str. 4
Dimensions	str. 72



PERS 2



PERS 3



PERS 4



PERS 5



PERS 6



PERS 7




PERS 8




PERS 9


Top-Decor



Laminat CPL



Ecoline





CONSTRUCTION

- Solid MDF stable frame construction
- 4mm DECORMAT satin glass

INCLUDED IN SET

- Lock in versions Room/Toilet/Savings lock
- 3 adjustable ball-bearing hinges/silver zinc

AVAILABLE WIDTH

- 60' / 70' / 80' / 90' /
- 40 cm- double-door system addition

SALWADOR₁

AVAILABLE OPTIONS

Double-door system	str. 62
On-wall system, Hidden cassette system	str. 63-64
Adjustable frame (OR) (OW)	str. 66
Soft edge fixed frame (OS)	str. 68
Nonrebated frame (ORB)	str. 69
Overlay frame (ON)	str. 70

EXTRA CHARGE SOLUTIONS

Ventilation undercut	
Ventilation tubes	
100' sized door	
Nonrebated door	
Sliding door system	

TECHNICAL DATA

General Information	str. 4
Dimensions	str. 72



SALWADOR 2



SALWADOR 3





SALWADOR 4



SALWADOR 5



SALWADOR 6





CONSTRUCTION

- Solid MDF stable frame construction
- 4mm DECORMAT satin glass

INCLUDED IN SET

- Lock in versions Room/Toilet/Savings lock
- 3 adjustable ball-bearing hinges/silver zinc

AVAILABLE WIDTH

- 60' / 70' / 80' / 90' /
- 40 cm- double-door system addition

TYTAN 1

AVAILABLE OPTIONS

Double-door system	str. 62
On-wall system, Hidden cassette system	str. 63-64
Adjustable frame (OR) (OW)	str. 66
Soft edge fixed frame (OS)	str. 68
Nonrebated frame (ORB)	str. 69
Overlay frame (ON)	str. 70

EXTRA CHARGE SOLUTIONS

Ventilation undercut	
Ventilation tubes	
100' sized door	
Nonrebated door	
Sliding door system	

TECHNICAL DATA

General Information	str. 4
Dimensions	str. 72



TYTAN 2



TYTAN 3



TYTAN 4



TYTAN 5




TYTAN 6





TYTAN 7

Top-Decor



Laminat CPL





CONSTRUCTION

- Solid MDF stable frame construction
- 4mm DECORMAT satin glass

INCLUDED IN SET

- Lock in versions Room/Toilet/Savings lock
- 3 adjustable ball-bearing hinges/silver zinc

AVAILABLE WIDTH

- 60' / 70' / 80' / 90' /
- 40 cm- double-door system addition

FRESNO 1

AVAILABLE OPTIONS

Double-door system	str. 62
On-wall system, Hidden cassette system	str. 63-64
Adjustable frame (OR) (OW)	str. 66
Soft edge fixed frame (OS)	str. 68
Nonrebated frame (ORB)	str. 69
Overlay frame (ON)	str. 70

EXTRA CHARGE SOLUTIONS


Ventilation undercut	
Ventilation tubes	
100' sized door	
Nonrebated door	
Sliding door system	

TECHNICAL DATA

General Information	str. 4
Dimensions	str. 72



FRESNO 2



FRESNO 3



FRESNO 4



FRESNO 5



FRESNO 6




FRESNO 7




FRESNO 8


Top-Decor



Laminat CPL



Ecoline





CONSTRUCTION

- Solid MDF stable frame construction
- 4mm DECORMAT satin glass

INCLUDED IN SET

- Lock in versions Room/Toilet/Savings lock
- 3 adjustable ball-bearing hinges/silver zinc

AVAILABLE WIDTH

- 60' / 70' / 80' / 90' /
- 40 cm- double-door system addition

MIRA₁

AVAILABLE OPTIONS

Double-door system	str. 62
On-wall system, Hidden cassette system	str. 63-64
Adjustable frame (OR) (OW)	str. 66
Soft edge fixed frame (OS)	str. 68
Nonrebated frame (ORB)	str. 69
Overlay frame (ON)	str. 70

EXTRA CHARGE SOLUTIONS

Ventilation undercut	
Ventilation tubes	
100' sized door	
Nonrebated door	
Sliding door system	

TECHNICAL DATA

General Information	str. 4
Dimensions	str. 72



MIRA 2



MIRA 3



MIRA 4



MIRA 5



MIRA 6



MIRA 7



MIRA 8




MIRA 9




MIRA 10


Top-Decor



Laminat CPL



Ecoline





CONSTRUCTION

- Solid MDF stable frame construction
- 4mm DECORMAT satin glass

INCLUDED IN SET

- Lock in versions Room/Toilet/Savings lock
- 3 adjustable ball-bearing hinges/silver zinc

AVAILABLE WIDTH

- 60' / 70' / 80' / 90' /
- 40 cm- double-door system addition

KORFU 1

AVAILABLE OPTIONS

Double-door system	str. 62
On-wall system, Hidden cassette system	str. 63-64
Adjustable frame (OR) (OW)	str. 66
Soft edge fixed frame (OS)	str. 68
Nonrebated frame (ORB)	str. 69
Overlay frame (ON)	str. 70

EXTRA CHARGE SOLUTIONS

Ventilation undercut	
Ventilation tubes	
100' sized door	
Nonrebated door	
Sliding door system	

TECHNICAL DATA

General Information	str. 4
Dimensions	str. 72



KORFU 2



KORFU 3



KORFU 4



KORFU 5



KORFU 6



KORFU 7



KORFU 8




KORFU 9




KORFU 10


Top-Decor




Laminat CPL



Ecoline





CONSTRUCTION

- Solid MDF stable frame construction
- 4mm DECORMAT satin glass

INCLUDED IN SET

- Lock in versions Room/Toilet/Savings lock
- 3 adjustable ball-bearing hinges/silver zinc

AVAILABLE WIDTH

- 60' / 70' / 80' / 90' /
- 40 cm- double-door system addition

ERIE 1

AVAILABLE OPTIONS


Double-door system	str. 62
On-wall system, Hidden cassette system	str. 63-64
Adjustable frame (OR) (OW)	str. 66
Soft edge fixed frame (OS)	str. 68
Nonrebated frame (ORB)	str. 69
Overlay frame (ON)	str. 70

EXTRA CHARGE SOLUTIONS


Ventilation undercut
Ventilation tubes
100' sized door
Nonrebated door
Sliding door system

TECHNICAL DATA

General Information	str. 4
Dimensions	str. 72



ERIE 2



ERIE 3



ERIE 4



ERIE 5



ERIE 6



ERIE 7



ERIE 8




ERIE 9




ERIE 10


Top-Decor



Laminat CPL



Ecoline





CONSTRUCTION

- Solid MDF stable frame construction
- 4mm DECORMAT satin glass

INCLUDED IN SET

- Lock in versions Room/Toilet/Savings lock
- 3 adjustable ball-bearing hinges/silver zinc

AVAILABLE WIDTH

- 60' / 70' / 80' / 90' /
- 40 cm- double-door system addition

ERIE ALU₁

AVAILABLE OPTIONS

Double-door system	str. 62
On-wall system, Hidden cassette system	str. 63-64
Adjustable frame (OR) (OW)	str. 66
Soft edge fixed frame (OS)	str. 68
Nonrebated frame (ORB)	str. 69
Overlay frame (ON)	str. 70

EXTRA CHARGE SOLUTIONS

Ventilation undercut	
Ventilation tubes	
100' sized door	
Nonrebated door	
Sliding door system	

TECHNICAL DATA

General Information	str. 4
Dimensions	str. 72



ERIE ALU 2



ERIE ALU 3



ERIE ALU 4



ERIE ALU 5



ERIE ALU 6



ERIE ALU 7



ERIE ALU 8




ERIE ALU 9




ERIE ALU 10


Top-Decor



Laminat CPL



Ecoline





CONSTRUCTION

- Solid MDF stable frame construction
- 4mm DECORMAT satin glass

INCLUDED IN SET

- Lock in versions Room/Toilet/Savings lock
- 3 adjustable ball-bearing hinges/silver zinc

AVAILABLE WIDTH

- 60' / 70' / 80' / 90' /
- 40 cm- double-door system addition

ATOS₁

AVAILABLE OPTIONS

Double-door system	str. 62
On-wall system, Hidden cassette system	str. 63-64
Adjustable frame (OR) (OW)	str. 66
Soft edge fixed frame (OS)	str. 68
Nonrebated frame (ORB)	str. 69
Overlay frame (ON)	str. 70

EXTRA CHARGE SOLUTIONS

Ventilation undercut	
Ventilation tubes	
100' sized door	
Nonrebated door	
Sliding door system	

TECHNICAL DATA

General Information	str. 4
Dimensions	str. 72



ATOS 2





ATOS 3



ATOS 4



ATOS 5





CONSTRUCTION

- Solid MDF stable frame construction
- 4mm DECORMAT satin glass


INCLUDED IN SET

- Lock in versions Room/Toilet/Savings lock
- 3 adjustable ball-bearing hinges/silver zinc



MARGO 2


Top-Dekor



Laminat CPL



Ecoline



MARGO 1

EXTRA CHARGE SOLUTIONS

- Ventilation undercut
- Ventilation tubes
- 100' sized door
- Nonrebated door
- Sliding door system

TECHNICAL DATA

- General Information str. 4
- Dimensions str. 72

AVAILABLE OPTIONS

- Double-door system str. 62
- On-wall system, Hidden cassette system str. 63-64
- Adjustable frame (OR) (OW) str. 66
- Soft edge fixed frame (OS) str. 68
- Nonrebated frame (ORB) str. 69
- Overlay frame (ON) str. 70

AVAILABLE WIDTH

60 CM/ 70 CM/ 80 CM/ 90 CM /
40 CM- double-door system addition



CONSTRUCTION

- Solid MDF stable frame construction
- 4mm DECORMAT satin glass

INCLUDED IN SET

- Lock in versions Room/Toilet/Savings lock
- 3 adjustable ball-bearing hinges/silver zinc



THOR 2




THOR 3

Laminat CPL



Ecoline



THOR₁

EXTRA CHARGE SOLUTIONS

- Ventilation undercut
- Ventilation tubes
- 100' sized door
- Nonrebated door
- Sliding door system

TECHNICAL DATA

- General Information str. 4
- Dimensions str. 72

AVAILABLE OPTIONS

- Double-door system str. 62
- On-wall system, Hidden cassette system str. 63-64
- Adjustable frame (OR) (OW) str. 66
- Soft edge fixed frame (OS) str. 68
- Nonrebated frame (ORB) str. 69
- Overlay frame (ON) str. 70

AVAILABLE WIDTH

60 CM/ 70 CM/ 80 CM/ 90 CM /
40 CM- double-door system addition



CONSTRUCTION

- Solid MDF stable frame construction
- 4mm DECORMAT satin glass

INCLUDED IN SET

- Lock in versions Room/Toilet/Savings lock
- 3 adjustable ball-bearing hinges/silver zinc



ELEGANT 2




ELEGANT 3

Laminat CPL



Ecoline



ELEGANT 1

EXTRA CHARGE SOLUTIONS

- Ventilation undercut
- Ventilation tubes
- 100' sized door
- Nonrebated door
- Sliding door system

TECHNICAL DATA

- General Information str. 4
- Dimensions str. 72

AVAILABLE OPTIONS

- Double-door system str. 62
- On-wall system, Hidden cassette system str. 63-64
- Adjustable frame (OR) (OW) str. 66
- Soft edge fixed frame (OS) str. 68
- Nonrebated frame (ORB) str. 69
- Overlay frame (ON) str. 70

AVAILABLE WIDTH

60 cm/ 70 cm/ 80 cm/ 90 cm /
40 cm- double-door system addition



CONSTRUCTION



- Solid MDF stable frame construction
- 4mm DECORMAT satin glass

INCLUDED IN SET

- Lock in versions Room/Toilet/Savings lock
- 3 adjustable ball-bearing hinges/silver zinc



RETRO 3



RETRO₁

EXTRA CHARGE SOLUTIONS

- Ventilation undercut
- Ventilation tubes
- 100' sized door
- Nonrebated door
- Sliding door system

TECHNICAL DATA

- General Information str. 4
- Dimensions str. 72

AVAILABLE OPTIONS

- Double-door system str. 62
- On-wall system, Hidden cassette system str. 63-64
- Adjustable frame (OR) (OW) str. 66
- Soft edge fixed frame (OS) str. 68
- Nonrebated frame (ORB) str. 69
- Overlay frame (ON) str. 70

AVAILABLE WIDTH

60 CM/ 70 CM/ 80 CM/ 90 CM /
40 CM- double-door system addition



CONSTRUCTION

- Solid MDF stable frame construction
- 4mm DECORMAT satin glass

INCLUDED IN SET

- Lock in versions Room/Toilet/Savings lock
- 3 adjustable ball-bearing hinges/silver zinc




ADARA 2



ADARA 3


Top-Decor



Laminat CPL



Ecoline



EXTRA CHARGE SOLUTIONS

- Ventilation undercut
- Ventilation tubes
- 100' sized door
- Nonrebated door
- Sliding door system

TECHNICAL DATA

- General Information str. 4
- Dimensions str. 72

AVAILABLE OPTIONS

- Double-door system str. 62
- On-wall system, Hidden cassette system str. 63-64
- Adjustable frame (OR) (OW) str. 66
- Soft edge fixed frame (OS) str. 68
- Nonrebated frame (ORB) str. 69
- Overlay frame (ON) str. 70

AVAILABLE WIDTH

60 cm/ 70 cm/ 80 cm/ 90 cm /
40 cm- double-door system addition

Nonrebated doors are product that withstands needs of the most demanding clients.

Modern construction allows to even door and frame. A perfect solution for every type interior type. Nonrebated option is available for extra charge and only for modular doors models.



CONSTRUCTION

- Solid MDF stable frame construction
- 4mm DECORMAT satin glass
- No „foreign” rim
- Internal hidden material jointing
- Perfectly smooth edges

AVAILABLE WIDTH

60' / 70' / 80' / 90' / 100' (SOLUTION AT EXTRA CHARGE)

AVAILABLE OPTIONS

Nonrebated adjustable frame (OPB)

Page 69

EXTRA CHARGE SOLUTIONS

Ventilation undercut

Ventilation tubes

100' sized door

INCLUDED IN SET

- Magnetic lock in version Room/Toilet/Cylinder with 72/50 spacing
- 3 inserted 3D hinges



TECHNICAL DATA

General Information

Page 4

Dimensions

Page 72



Flush doors construction



Construction

MDF frame covered with 2 HDF boards wrapped in decorative materials



„Soft” Technology

Invisible decorative materials jointing



Glazing

4mm DECORMAT satin glass finished with frame



Surface

Elements wrapped in ecological and innovative decorative materials



Fittings

2 adjustable ball-bearing hinges/silver zinc



Equipment

Lock in versions Room/Toilet/Savings lock/Cylinder lock with 72/50 spacing in silver zinc decor



Ceres str. 46



Roco str. 47



Klaro str. 48



Doro str. 49



Lago str. 50



Devon str. 51



Preston Plus str. 52



CONSTRUCTION

- MDF frame covered with 2 HDF boards wrapped in decorative materials
- 4mm DECORMAT satin glass
- Honeycomb filling

INCLUDED IN SET


- Lock in versions Room/Toilet/Savings lock/Cylinder
- 2 adjustable ball-bearing hinges/silver zinc



CERES VENTILATION



CERES FULL



CERES ROOM

EXTRA CHARGE SOLUTIONS

- 100' sized door
- Ventilation grill
- Sliding door system

TECHNICAL DATA

General Information	Page 40
Dimensions	Page 72

AVAILABLE OPTIONS

Double-door system	Page 62
On-wall system, Hidden cassette system	Page 63-64
Adjustable frame (OR) (OW)	Page 66
Soft edge fixed frame (OS)	Page 68
Overlay frame (ON)	Page 70

AVAILABLE WIDTH

60' / 70' / 80' / 90' /



CONSTRUCTION

- MDF frame covered with 2 HDF boards wrapped in decorative materials
- 4mm DECORMAT satin glass
- Honeycomb filling

INCLUDED IN SET



- Lock in versions Room/Toilet/Savings lock/Cylinder
- 2 adjustable ball-bearing hinges/silver zinc



ROCO VENTILATION



ROCO FULL



ROCO ROOM

EXTRA CHARGE SOLUTIONS

- 100' sized door
- Ventilation grill
- Sliding door system

TECHNICAL DATA

General Information	Page 40
Dimensions	Page 72

AVAILABLE OPTIONS

Double-door system	Page 62
On-wall system, Hidden cassette system	Page 63-64
Adjustable frame (OR) (OW)	Page 66
Soft edge fixed frame (OS)	Page 68
Overlay frame (ON)	Page 70

AVAILABLE WIDTH

60' / 70' / 80' / 90' /



CONSTRUCTION

- MDF frame covered with 2 HDF boards wrapped in decorative materials
- 4mm DECORMAT satin glass
- Honeycomb filling

INCLUDED IN SET



- Lock in versions Room/Toilet/Savings lock/Cylinder
- 2 adjustable ball-bearing hinges/silver zinc



KLARO VENTILATION



KLARO FULL



KLARO ROOM

EXTRA CHARGE SOLUTIONS

- 100' sized door
- Ventilation grill
- Sliding door system

TECHNICAL DATA

General Information	Page 40
Dimensions	Page 72

AVAILABLE OPTIONS

Double-door system	Page 62
On-wall system, Hidden cassette system	Page 63-64
Adjustable frame (OR) (OW)	Page 66
Soft edge fixed frame (OS)	Page 68
Overlay frame (ON)	Page 70

AVAILABLE WIDTH

60' / 70' / 80' / 90' /

CONSTRUCTION

- MDF frame covered with 2 HDF boards wrapped in decorative materials
- 4mm DECORMAT satin glass
- Honeycomb filling

INCLUDED IN SET



- Lock in versions Room/Toilet/Savings lock/Cylinder
- 2 adjustable ball-bearing hinges/silver zinc



DORO VENTILATION



DORO FULL



DORO ROOM

EXTRA CHARGE SOLUTIONS

- 100' sized door
- Ventilation grill
- Sliding door system

TECHNICAL DATA

General Information	Page 40
Dimensions	Page 72

AVAILABLE OPTIONS

Double-door system	Page 62
On-wall system, Hidden cassette system	Page 63-64
Adjustable frame (OR) (OW)	Page 66
Soft edge fixed frame (OS)	Page 68
Overlay frame (ON)	Page 70

AVAILABLE WIDTH

60' / 70' / 80' / 90' /



CONSTRUCTION

- MDF frame covered with 2 HDF boards wrapped in decorative materials
- 4mm DECORMAT satin glass
- Honeycomb filling

INCLUDED IN SET



- Lock in versions Room/Toilet/Savings lock/Cylinder
- 2 adjustable ball-bearing hinges/silver zinc



LAGO VENTILATION



LAGO FULL



LAGO ROOM

EXTRA CHARGE SOLUTIONS

- 100' sized door
- Ventilation grill
- Sliding door system

TECHNICAL DATA

General Information	Page 40
Dimensions	Page 72

AVAILABLE OPTIONS

Double-door system	Page 62
On-wall system, Hidden cassette system	Page 63-64
Adjustable frame (OR) (OW)	Page 66
Soft edge fixed frame (OS)	Page 68
Overlay frame (ON)	Page 70

AVAILABLE WIDTH

60' / 70' / 80' / 90' /



CONSTRUCTION

- MDF frame covered with 2 HDF boards wrapped in decorative materials
- 4mm DECORMAT satin glass
- Honeycomb filling

INCLUDED IN SET



- Lock in versions Room/Toilet/Savings lock/Cylinder
- 2 adjustable ball-bearing hinges/silver zinc



DEVON VENTILATION



DEVON FULL



DEVON ROOM

EXTRA CHARGE SOLUTIONS

- 100' sized door
- Ventilation grill
- Sliding door system

TECHNICAL DATA

General Information	Page 40
Dimensions	Page 72

AVAILABLE OPTIONS

Double-door system	Page 62
On-wall system, Hidden cassette system	Page 63-64
Adjustable frame (OR) (OW)	Page 66
Soft edge fixed frame (OS)	Page 68
Overlay frame (ON)	Page 70

AVAILABLE WIDTH

60' / 70' / 80' / 90' /



CONSTRUCTION

- MDF frame covered with 2 HDF boards wrapped in decorative materials
- 4mm DECORMAT satin glass
- Honeycomb filling

INCLUDED IN SET



- Lock in versions Room/Toilet/Savings lock/Cylinder
- 2 adjustable ball-bearing hinges/silver zinc



PRESTON PLUS VENTILATION



PRESTON PLUS FULL



PRESTON PLUS ROOM

EXTRA CHARGE SOLUTIONS

- 100' sized door
- Ventilation grill
- Sliding door system

TECHNICAL DATA

General Information	Page 40
Dimensions	Page 72

AVAILABLE OPTIONS

Double-door system	Page 62
On-wall system, Hidden cassette system	Page 63-64
Adjustable frame (OR) (OW)	Page 66
Soft edge fixed frame (OS)	Page 68
Overlay frame (ON)	Page 70

AVAILABLE WIDTH

60' / 70' / 80' / 90' /



Investment door construction

We present an extended collection of doors dedicated for private or institutional investors. In this section you can find both budget, strengthened, acoustic and fireproof doors along with full sets containing frames, steps and see-through viewfinder

Construction

UNO

- MDF frame covered with 2 HDF boards wrapped in decorative materials
- Honeycomb filling

LINOS

- MDF frame covered with 2 HDF boards wrapped in decorative materials
- Low density LDF board filling

SOLID

- MDF frame covered with 2 HDF boards wrapped in decorative materials
- Chipboard filling

VOLUME, VOLUME SET

- MDF frame covered with 2 HDF boards wrapped in decorative materials
- Stabilizing Homalight board filling
- Door width enhanced to 46mm thickness

MARCUS

- Door covered with two HDF board wrapped with finish foil
- Door made of fireproof materials
- Mineral wool filling and stabilizing bars

METEOR

- Door covered with 2 metal zinc sheets
- Styrofoam board filling
- Door width enhanced to 55mm thickness

Fillings



CHIPBOARD



HOMALIGHT BOARD



Meteor str. 55



Uno str. 56



Linos str. 57



Linos Alu str. 57



Solid Pro str. 58



Solid Alu Pro str. 58



Volume str. 59



Volume Alu str. 59



Volume Set str. 60



Volume Alu Set str. 60



Marcus EI30 str. 61



Marcus EI60 str. 61



CONSTRUCTION


- Door covered with 2 metal zinc sheets
- Styrofoam board filling
- Wrapped with wood-based PVC foil
- Door width enhanced to 55mm thickness

INCLUDED IN SET

- Steel frame
- Stainless steel step with seal
- Seal
- 3 Anti-burglar bolts
- 3 hinges

AVAILABLE WIDTH

80' / 90'




METEOR - STEEL DOOR

DOOR TECH DATA

- Door thickness 55mm
- Material metal zinc sheet
- Styrofoam board filling
- Waterproof, outside door opening 2b
- Air permability class 3
- Heat permability 1,7

FRAME TECH DATA

- 1,5mm Zinc metal sheet
- Surface wood-based pvc board matched with door colour
- Water-proof
- Air permability class 3
- Heat permability 1,7



CONSTRUCTION

- MDF frame covered with two HDF boards
- Honeycomb filling


INCLUDED IN SET

- Lock in versions Room/Toilet/Savings lock/Cylinder
- 2 adjustable ball-bearing hinges/silver zinc


AVAILABLE WIDTH

60' / 70' / 80' / 90' /

Top-Decor



CPL Laminate



UNO

AVAILABLE OPTIONS


Double-door system	str. 62
On-wall system, Hidden cassette system	str. 63-64
Design Line On-wall system	str. 65
Adjustable frame (OR) (OW)	str. 66
Soft edge fixed frame (OS)	str. 68
Overlay frame (ON)	str. 70

EXTRA CHARGE SOLUTIONS

Ventilation grill
Ventilation tubes
100' sized door
Sliding door system

TECHNICAL DATA

Dimensions	str. 72
------------	---------



LINOS ALU 2 LINOS ALU 3 LINOS ALU 4

CONSTRUCTION

- MDF frame covered with 2 HDF boards
- Low density LDF board filling

INCLUDED IN SET

- 3 ball-bearing hinges, screwed and countered with screw
- Lock in versions Room/Toilet/Savings lock/Cylinder

AVAILABLE WIDTH


60' / 70' / 80' / 90' /

LINOS


LINOS ALU 1



LINOS
LINOS ALU



LINOS
LINOS ALU



AVAILABLE OPTIONS


Adjustable frame (OR) (OW)	str. 66
Soft edge fixed frame (OS)	str. 68
Overlay frame (ON)	str. 70

TECHNICAL DATA

Dimensions	str. 72
------------	---------

EXTRA CHARGE SOLUTIONS

- Ventilation undercut
- Ventilation tubes
- Ventilation grill
- 100' sized door
- Enhancement for self-closing system
- Self closing system
- bulaj
- Kicker



SOLID PRO ALU 2 SOLID PRO ALU 3 SOLID PRO ALU 4

CONSTRUCTION

- MDF frame covered with two HDF boards
- Chipboard filling

INCLUDED IN SET

- 3 ball-bearing hinges, screwed and countered with screw
- Insertion 3 bolted lock
- 3 bolted upper lock

AVAILABLE WIDTH

80' / 90'




SOLID PRO


SOLID PRO ALU 1



SOLID PRO
SOLID PRO ALU



SOLID PRO
SOLID PRO ALU



AVAILABLE OPTIONS

Adjustable enhanced frame	str. 66
Wooden fixed frame	str. 68

TECH DATA

Dimensions	str. 72
------------	---------

EXTRA CHARGE OPTIONS

Enhancement for self-closing system
Self closing system
Kicker
Aluminium step

VOLUME ALU 2

VOLUME ALU 3

VOLUME ALU 4

CONSTRUCTION

- MDF frame covered with two HDF boards
- Stabilizing homalight board filling
- Enhanced 46mm thickness door

INCLUDED IN SET

- 3 ball-bearing hinges, screwed and countered with screw
- Insertion 3 bolted lock
- Additional upper lock
- Anti-weigh bolts
- Seal installed in door

AVAILABLE SIZES


80' / 90'

VOLUME


VOLUME ALU 1



VOLUME
VOLUME ALU



VOLUME
VOLUME ALU



DOSTĘPNE ROZWIĄZANIA

ościeżnica regulowana wzmacniana	str. 66
ościeżnica stała drewniana	str. 68

INFORMACJE TECHNICZNE

wymiarowanie	str. 72
--------------	---------

ROZWIĄZANIA ZA DOPLATĄ

samoamykacz	260,00 zł netto/319,80 zł brutto
próg stalowy	99,00 zł netto/121,77 zł brutto
kopniak obustronny	450,00 zł netto/553,50 zł brutto



VOLUME ALU SET 2 VOLUME ALU SET 3 VOLUME ALU SET 4

CONSTRUCTION

- MDF frame covered with two HDF boards
- Stabilizing homalight board filling
- Enhanced 46mm thickness door


INCLUDED IN SET

- 3 ball-bearing hinges, screwed and countered with screw
- Insertion 3 bolted lock
- Additional upper lock
- Anti-weigh bolts
- Seal installed in door
- viewfinder (for self-assembly)
- handle with upper rosette „MATI” silver galvanized
- Aluminium step
- Wooden fixed frame


VOLUME SET VOLUME ALU SET 1



VOLUME SET
VOLUME ALU SET



VOLUME SET
VOLUME ALU SET



TECH DATA

Dimensions str. 72

AVAILABLE WIDTH

80' / 90'

EXTRA CHARGE OPTIONS

Enhancement for self-closing system

Self closing system

Kicker



MARCUS EI 30

CONSTRUCTION

- Door covered with two HDF boards wrapped with finish foil
- Door made of fireproof materials
- Mineral wool filling with stabilizing bars

INCLUDED IN SET

- Fireproof fixed frame with 90x45 swell seal
- 4 hinges with pins
- Bottom insertion lock

TECHNICAL DATA


- Internal entrance fireproof door
- Recommended as staircase entrance door, public buildings corri doors, hotels and apartments
- Enhanced fireproof abilities EI30 Class

AVAILABLE WIDHT

80' / 90'

EXTRA CHARGE OPTIONS

- Self-closing system
- Additional lock
- 100'sized door
- Viewfinder
- Smoke-proof seal
- „falling“ step



FIREPROOF DOOR



MARCUS EI 60

CONSTRUCTION

- Door covered with two HDF boards wrapped with finish foil
- Door made of fireproof materials
- Mineral wool filling with stabilizing bars

INCLUDED IN SET

- Fireproof fixed frame with 104x54 swell seal
- 4 hinges with pins
- Bottom insertion lock

TECHNICAL DATA


- Internal entrance fireproof door
- Recommended as staircase entrance door, public buildings corri doors, hotels and apartments
- Enhanced fireproof abilities EI60 Class

AVAILABLE WIDHT

80' / 90'

EXTRA CHARGE OPTIONS

- Self-closing system
- Additional lock
- 100'sized door
- Viewfinder
- Smoke-proof seal
- „falling“ step



FIREPROOF DOOR



On double doors system any door model except Linos, Solid, Volume, Marcus, Meteor can be used.

Its possible to make combination with doors dimension 60-90 chosen freely. Active door is standardly opened door while passive door. After drilling in upper beam and floor there is possibility to fix the latches. Price for the double door system contains price of each door from the set plus closing bar 80,00 PLN Netto. Double doors system frame price is 30% higher.

Information regarding double doors system dimensions can be found on pages 66 and 68 has closing bar containing latch with hook lock fitted to the rebate.



DOUBLE DOOR SYSTEM. PASSIVE LEFT, ACTIVE RIGHT



DOUBLE DOOR SYSTEM. PASSIVE RIGHT, ACTIVE LEFT



INCLUDED IN SET

- Aluminum cassette with instalation kit
- Masking shield

DESIGNATION




For wall hiding system nonrebated door with following dimensions has to be used:

- Singular system: „60“, „70“, „80“, „90“,
- Double system „2x60“, „2x70“, „2x80“, „2x90“

In this version all the catalogue's models are available except models klasyk, preston, lawa, linos, solid, volume and marcus. In case modular door usage there is no possibility of making ventilation undercut.

Attention!

System can be fitted only in at least 125mm wall.



EXTRA CHARGE OPTIONS

Steel oval or round silver or golden handles 2 pieces

Hook lock with set of oval or round handles in versions Room/Toilet golden or chrome

Symetric – system that allows to slide doors on both directions at the same time

Retarder

	Width	Height	C	D	E	F	G	H	H1
60	644	2040	1280	620	604	640	640	2020	2020
70	744		1480	720	704	740	740		
80	844		1680	820	804	840	840		
90	944		1880	920	904	940	940		
2x60	2x60		2480	620	1180	1220	640		
2x70	2x70		2880	720	1380	1420	740		
2x80	2x80		3280	820	1580	1620	840		
2x80	2x90		2680	920	1780	1820	940		

All dimensions and technical drawings are compliant with polish DIN norm





Double system



Singular right

Singular left



Singular System left/right				
	60	70	80	90
S	644	744	844	944
E	1682	1682	1982	1982

Double system				
	2x60	2x70	2x80	2x90
S	2x644	2x744	2x844	2x944
E	3332	3332	3996	3996

INCLUDED IN SET

- Aluminium rail with rollers and installation kit
- Distancing bar
- Masking shield with colour matched to the door
- Buffer bar with colour matched to the door (Not available in the double door system)

DESIGNATION

To the on-wall sliding system nonrebated sliding door is used with foillowing sizes:

- Singular system: „60”, „70”, „80”, „90”,
- Double system: „2x60”, „2x70”, „2x80”, „2x90”.

In this version all the catalogue’s models are available except models klasyk, preston, lawa, linos, solid, volume and marcus. In case modular door usage there is no possibility of making ventilation undercut.

Dimensions (width) - Singular System

	60	70	80	90
S	644	744	844	944
A	602	702	802	902
B	646	746	846	946
C	680	780	880	980
D	744	844	944	1044

Dimensions (width)- Double system



	2x60	2x70	2x80	2x90
S	2x644	2x744	2x844	2x944
A	1250	1450	1650	1850
B	1243	1443	1643	1843
C	1294	1494	1694	1894
D	1392	1592	1792	1992

PRICE

Singular system	360,00 zł netto/ 442,80 zł brutto
Double system	560,00 zł netto/ 688,80 zł brutto



EXTRA CHARGE OPTIONS

Steel oval or round silver or golden handles 2 pieces	38,00 zł netto/46,74 zł brutto
Hook lock with set of oval or round handles in versions Room/ Toilet golden or chrome.	119,00 z netto/146,37 zł brutto
Symetric – system that allows to slide doors on both directions at the same time	230,00 zł netto/282,90 zł brutto
Retarder	129,00 z netto/158,67 zł brutto




On-wall sliding system masked

On-wall sliding system without mask



All dimensions and technical drawings are compliant with polish DIN norm



DESIGNATION

Design line systems are inspired by loft-vintage style. Exposing mechanics of the elements along with dark colours gives interior extraordinary industrial character

To the on-wall sliding system nonrebated sliding door is used with following sizes:

- Singular system: „60“, „70“, „80“, „90“,
- Double system: „2x60“, „2x70“, „2x80“, „2x90“.

Advantages of the system:

- Silent and smooth sliding thanks to ballbearing rollers
- Easy installation. Ability to set doors. Free positioning of door
- Lacquer layer covering rail and all of system's elements is high mechanical damage resistant and prevents dust

TECHNICAL DATA

- Maximum door weight – 100kg
- Maximum door width 90"
- Door thickness 35-45mm
- Rail lenght 2000mm
- Black mat colour

INCLUDED IN SET

- Blockade
- Buckle
- Fence
- Stoper
- Rail
- Tube

PRICE

Design - Line system 320,00 zł netto/ 393,60 zł brutto

EXTRA CHARGE OPTIONS


1. Silent-stop two elemented closing system
2. Inserted rectange handle 203x53mm black mat
3. Trapeze convex handle 255x32mm black mat
4. Bottom rail installed on wall. Installation doesnt require drilling additional holes in the wall
5. On-wall buckle designated to installation of second rail in case of double system choice
6. Decorative clinches and corners for doors





Technical information about

- buildings made of plasterboard and concrete



PURPOSE


The use of the Esstilo Pro frame Allows placing the leaf in one plane with the wall line. Frame remains as an invisible element. This solution allows to “hide” the door in wall what gives the possibility of painting them with the same paint as the walls or hanging wallpaper.

The set includes:

- Esstilo Pro frame with a leaf full paintable 60-100
- seal
- set of assembly parts
- 2 Istar 505 hinges and a strike plate under the magnetic lock

Technical information about


- dimensions- frame height



Leaf height Hd (mm)	2030
Construction opening height Ho (mm)	2079
External height of the frame Hz (mm)	2072
Passage height Hp (mm)	2030

Technical information about


- dimensions- the width of the door frame



Leaf width Sd	644	744	844	944	1044
Construction opening width So	724	824	924	1024	1124
External width of the frame Sz	714	814	914	1014	1114
Passage width Sp	629	729	829	929	1029

Technical information about

- dimensions- the width of the door frame






Architrave OR



Architrave OW



CONSTRUCTION

Frame core made of 22mm thickness MDF board
 Front part (from the side of the door) and the adjustable elements are flat 60mm or 80mm architraves.
 Adjustable frames (OR) and (OW) are available in Top – Decor and Ecoline foils or CPL laminates.
 Product allows to adjust width in 40mm range.
 Different adjustment ranges allows to install the frame on the 80mm to 500mm thick wall.

DESIGNATION

With two hinges screwed there is possibility to use the frame on all the rebated flush doors except models „Solid“ and „Volume“. With three hinges screwed there is possibility to install frame with all the modular door models.


INCLUDED IN SET

- set of vertical base elements
- upper beam
- seal with colour matched to the frame
- installation kit with three hinges

EXTRAS

- double frame +30% surcharge
- 100' and wider sized upper beam +30 surcharge
- Enhanced adjustable frame + 80,00 PLN surcharge

OR/OW	Range	Panels amount
OR 1	80-100	1
OR 2	100-140	1
OR 3	140-180	1
OR 4	180-220	1
OR 5	220-260	1
OR 6	260-300	1
OR 7	300-340	2
OR 8	340-380	2
OR 9	380-420	2
OR 10	420-460	3
OR 11	460-500	3



E2* - dimension for OW

160mm 60-90 Extender
160 mm 100 Extender
Architrave OR/OW

DOUBLE FRAMES


	60	70	80	90	100	60+40	2x60	60+70	60+80	60+90	70+40	2x70	70+80	70+90	80+40	2x80	80+90	90+40	2x90
S2	644	744	844	944	1044	644+444	2x644	644+744	644+844	644+944	744+444	2x744	744+844	744+944	844+444	2x844	844+944	944+444	2x944
A2	602	702	802	902	1002	1050	1250	1350	1450	1550	1150	1450	1550	1650	1250	1650	1750	1350	1850
B2	624	724	824	924	1024	1072	1272	1372	1472	1572	1172	1472	1572	1672	1272	1672	1772	1372	1872
C2	646	746	846	946	1046	1094	1294	1394	1494	1594	1194	1494	1594	1694	1294	1694	1794	1394	1894
D2	680	780	880	980	1080	1135	1335	1435	1535	1635	1235	1535	1635	1735	1335	1735	1835	1435	1935
E2	744	844	944	1044	1044	1192	1392	1492	1592	1692	1292	1592	1692	1792	1392	1792	1892	1492	1992
E2*	784	884	984	1084	1184	1232	1432	1532	1632	1732	1332	1632	1732	1832	1432	1832	1932	1532	2032



Architrave OR



Architrave OW



E2* - dimension for OW

CONSTRUCTION

Frame core made of 22mm thickness MDF board
 Front part (from the side of the door) and the adjustable elements are flat 60mm or 80mm architraves.
 Adjustable frames (OR) and (OW) are available in Top – Decor and Ecoline foils or CPL laminates.
 Product allows to adjust width in 40mm range.
 Different adjustment ranges allows to install the frame on the 80mm to 500mm thick wall.

DESIGNATION

With two hinges screwed there is possibility to use the frame on all the rebated flush doors except models „Solid“ and „Volume“. With three hinges screwed there is possibility to install frame with all the modular door models.


INCLUDED IN SET

- set of vertical base elements
- upper beam
- seal with colour matched to the frame
- installation kit with three hinges

EXTRAS

- double frame +30% surcharge
- 100' and wider sized upper beam +30 surcharge
- Enhanced adjustable frame + 80,00 PLN surcharge

OR/OW	Range	Panels amount
OR 1	80-100	1
OR 2	100-140	1
OR 3	140-180	1
OR 4	180-220	1
OR 5	220-260	1
OR 6	260-300	1
OR 7	300-340	2
OR 8	340-380	2
OR 9	380-420	2
OR 10	420-460	3
OR 11	460-500	3



E2* - dimension for OW

160mm 60-90 Extender
160 mm 100 Extender
Architrave OR/OW

DOUBLE FRAMES


	60	70	80	90	100	60+40	2x60	60+70	60+80	60+90	70+40	2x70	70+80	70+90	80+40	2x80	80+90	90+40	2x90
S2	644	744	844	944	1044	644+444	2x644	644+744	644+844	644+944	744+444	2x744	744+844	744+944	844+444	2x844	844+944	944+444	2x944
A2	602	702	802	902	1002	1050	1250	1350	1450	1550	1150	1450	1550	1650	1250	1650	1750	1350	1850
B2	624	724	824	924	1024	1072	1272	1372	1472	1572	1172	1472	1572	1672	1272	1672	1772	1372	1872
C2	646	746	846	946	1046	1094	1294	1394	1494	1594	1194	1494	1594	1694	1294	1694	1794	1394	1894
D2	680	780	880	980	1080	1135	1335	1435	1535	1635	1235	1535	1635	1735	1335	1735	1835	1435	1935
E2	744	844	944	1044	1144	1192	1392	1492	1592	1692	1292	1592	1692	1792	1392	1792	1892	1492	1992
E2*	784	884	984	1084	1184	1232	1432	1532	1632	1732	1332	1632	1732	1832	1432	1832	1932	1532	2032



Architrave TR



Architrave TW



CONSTRUCTION

Frame core made of 22mm thickness MDF board
 Front part (from the side of the door) and the adjustable elements are flat 60mm or 80mm architraves.
 Adjustable frames (TR) and (TW) are available in Top – Decor and Ecoline foils or CPL laminates.
 Product allows to adjust width in 40mm range.
 Different adjustment ranges allows to install the frame on the 80mm to 500mm thick wall.

DESIGNATION

Adjustable tunnel frame TR with on-wall 6mm architrave or TW with 8mm architrave is perfect solution for finishing wall openings not only due corner covering abilities but most of all as a form of interior decoration.
 Tunnel frame is also recommended for covering wall opening for sliding door system.


INCLUDED IN SET

- set of vertical base elements
- upper beam
- seal

EXTRAS

- double frame +30% surcharge
- 100' and wider sized upper beam +30 surcharge

OR/OW	Range	Panels amount
OR 1	80-100	1
OR 2	100-140	1
OR 3	140-180	1
OR 4	180-220	1
OR 5	220-260	1
OR 6	260-300	1
OR 7	300-340	2
OR 8	340-380	2
OR 9	380-420	2
OR 10	420-460	3
OR 11	460-500	3



E3* - dimension for TW

160mm 60-90 Extender
160 mm 100 Extender
Architrave TR/TW

DOUBLE TUNNELS


	60	70	80	90	100	60+40	2x60	60+70	60+80	60+90	70+40	2x70	70+80	70+90	80+40	2x80	80+90	90+40	2x90
A3	602	702	802	902	1002	1050	1250	1350	1450	1550	1150	1450	1550	1650	1250	1650	1750	1350	1850
B3	624	724	824	924	1024	1072	1272	1372	1472	1572	1172	1472	1572	1672	1272	1672	1772	1372	1872
C3	646	746	846	946	1046	1094	1294	1394	1494	1594	1194	1494	1594	1694	1294	1694	1794	1394	1894
D3	680	780	880	980	1080	1135	1335	1435	1535	1635	1235	1535	1635	1735	1335	1735	1835	1435	1935
E3	744	844	944	1044	1044	1192	1392	1492	1592	1692	1292	1592	1692	1792	1392	1792	1892	1492	1992
E3*	784	884	984	1084	1184	1232	1432	1532	1632	1732	1332	1632	1732	1832	1432	1832	1932	1532	2032



Architrave TR



Architrave TW



E2* - dimension for TW

CONSTRUCTION

Frame core made of 22mm thickness MDF board
 Front part (from the side of the door) and the adjustable elements are flat 60mm or 80mm architraves.
 Adjustable frames (TR) and (TW) are available in Top – Decor and Ecoline foils or CPL laminates.
 Product allows to adjust width in 40mm range.
 Different adjustment ranges allows to install the frame on the 80mm to 500mm thick wall.

DESIGNATION

Adjustable tunnel frame TR with on-wall 6mm architrave or TW with 8mm architrave is perfect solution for finishing wall openings not only due corner covering abilities but most of all as a form of interior decoration.
 Tunnel frame is also recommended for covering wall opening for sliding door system.


INCLUDED IN SET

- set of vertical base elements
- upper beam
- seal

EXTRAS

- double frame +30% surcharge
- 100' and wider sized upper beam +30 surcharge

OR/OW	Range	Panels amount
OR 1	80-100	1
OR 2	100-140	1
OR 3	140-180	1
OR 4	180-220	1
OR 5	220-260	1
OR 6	260-300	1
OR 7	300-340	2
OR 8	340-380	2
OR 9	380-420	2
OR 10	420-460	3
OR 11	460-500	3



E2* - dimension for TW

160mm 60-90 Extender
160 mm 100 Extender
Architrave TR/TW

DOUBLE TUNNELS

	60	70	80	90	100	60+40	2x60	60+70	60+80	60+90	70+40	2x70	70+80	70+90	80+40	2x80	80+90	90+40	2x90
A3	602	702	802	902	1002	1050	1250	1350	1450	1550	1150	1450	1550	1650	1250	1650	1750	1350	1850
B3	624	724	824	924	1024	1072	1272	1372	1472	1572	1172	1472	1572	1672	1272	1672	1772	1372	1872
C3	646	746	846	946	1046	1094	1294	1394	1494	1594	1194	1494	1594	1694	1294	1694	1794	1394	1894
D3	680	780	880	980	1080	1135	1335	1435	1535	1635	1235	1535	1635	1735	1335	1735	1835	1435	1935
E3	744	844	944	1044	1144	1192	1392	1492	1592	1692	1292	1592	1692	1792	1392	1792	1892	1492	1992
E3*	784	884	984	1084	1184	1232	1432	1532	1632	1732	1332	1632	1732	1832	1432	1832	1932	1532	2032




CONSTRUCTION

Frame core made of 22mm thickness MDF board
 Front part (from the side of the door) and the adjustable element are flat architraves. Adjustable nonrebated frames are available in Top – Decor and Ecoline foils or CPL laminates. Product allows to adjust width in 20mm range. Different adjustment ranges allows to install the frame on the 96mm to 516mm thick wall.

USE

OPB frame is dedicated to all the nonrebated modular doors
Attention!
 To install nonrebated frame its necessary to make additional space in wall opening for hidden hinges covers



INCLUDED IN SET


- set of vertical base elements
- upper beam
- seal with colour matched to the frame
- installation kit with three hinges

EXTRAS

- 100' and wider sized upper beam +30 surcharge

OPB	Range	Panels amount
OPB 1	96-116	1
OPB 2	116-136	1
OPB 3	136-156	1
OPB 4	156-176	1
OPB 5	176-196	1
OPB 6	196-216	1
OPB 7	216-236	1
OPB 8	236-256	2
OPB 9	256-276	2
OPB 10	276-296	2
OPB 11	296-316	2
OPB 12	316-336	2
OPB 13	336-356	2
OPB 14	356-376	2
OPB 15	376-396	3
OPB 16	396-416	3
OPB 17	416-436	3
OPB 18	436-456	3
OPB 19	456-476	3
OPB 20	476-496	3
OPB 21	496-516	3


Dimensions Nonrebated frames (OPB)



	60	70	80	90	100
S2	618	718	818	918	1018
A2	602	702	802	902	1002
B2	624	724	824	924	1024
C2	646	746	846	946	1046
D2	680	780	880	980	1080
E2	784	884	984	1084	1184



Corner 90°



CONSTRUCTION

Frame core made of 22mm thickness MDF board
 Front part (from the side of the door) and the adjustable element are flat architraves. Adjustable nonrebated frames are available in Top—Decor and Ecoline foils or CPL laminates.
 Product allows to adjust width in 20mm range.
 Different adjustment ranges allows to install the frame on the 96mm to 516mm thick wall.

USE

OPB frame is dedicated to all the nonrebated modular doors
Attention!
 To install nonrebated frame its necessary to make additional space in wall opening for hidden hinges covers

INCLUDED IN SET


- set of vertical base elements
- upper beam
- seal with colour matched to the frame
- installation kit with three hinges

EXTRAS

- 100' and wider sized upper beam +30 surcharge

OPB	Range	Panels amount
OPB 1	96-116	1
OPB 2	116-136	1
OPB 3	136-156	1
OPB 4	156-176	1
OPB 5	176-196	1
OPB 6	196-216	1
OPB 7	216-236	1
OPB 8	236-256	2
OPB 9	256-276	2
OPB 10	276-296	2
OPB 11	296-316	2
OPB 12	316-336	2
OPB 13	336-356	2
OPB 14	356-376	2
OPB 15	376-396	3
OPB 16	396-416	3
OPB 17	416-436	3
OPB 18	436-456	3
OPB 19	456-476	3
OPB 20	476-496	3
OPB 21	496-516	3

Dimensions Nonrebated frames (ORB)



60	70	80	90	100
618	718	818	918	1018
602	702	802	902	1002
624	724	824	924	1024
646	746	846	946	1046
680	780	880	980	1080
784	884	984	1084	1184



CONSTRUCTION

Frame made of solid 44mm MDF board.
 Wrapped with Top Decor, Ecoline or CPL foil.
 Fixed 90mm width. Can be ordered in 2 or 3 hinges option.
 Flat masking trim or quarterround can be fitted for fixed frame – the final look will be more aesthetic.

INCLUDED IN SET


- set of vertical base elements
- upper beam
- seal with colour matched to the frame
- installation kit with three hinges

EXTRAS

- double frame +30% surcharge
- 100' and wider sized upper beam +30 surcharge

USE

Fixed soft frame with 2 hinges is recommended for all the internal rebated flush and investment doors except models „Solid“ and „Volume“.
 Fixed soft frame with 3 hinges is recommended for all the internal rebated modular doors.




Quarterround



Flat masking trim


Dimensions of fixed frames (OS)



		DOUBLE FRAMES																		
	60	70	80	90	100	60+40	2x60	60+70	60+80	60+90	70+40	2x70	70+80	70+90	80+40	2x80	80+90	90+40	2x90	
S1	644	744	844	944	1044	644+444	2x644	644+744	644+844	644+944	744+444	2x744	744+844	744+944	844+444	2x844	844+944	944+444	2x944	
A1	598	698	798	898	998	1046	1246	1346	1446	1546	1146	1446	1546	1644	1646	1646	1746	1346	1846	
B1	625	725	825	925	1025	1073	1273	1373	1473	1573	1173	1473	1573	1673	1673	1673	1773	1373	1873	
C1	687	787	887	987	1087	1135	1335	1435	1535	1635	1235	1535	1635	1735	1735	1735	1835	1435	1935	
D1	711	811	911	1011	1111	1161	1361	1461	1561	1661	1261	1561	1661	1761	1761	1761	1681	1461	1961	



Overlay frame adjustment range (ON) and Overlay tunnel frame (TN)



DESIGNATION


Overlay frame is modern solution that allows to change metal frame without necessity to remove old elements and hammering the walls. It's a solution that gives good effects and makes interior look more attractive with minor amount of work. Frame allows to change door opening direction

INCLUDED IN SET

- set of vertical base elements
- upper beam
- seal with colour matched to the frame
- installation kit with hinges

EXTRA CHARGE



100' and wider sized upper beam +30 surcharge



Distance from handle axis to the edge of the core of overlay frame

Attention!

Before buying handles check width of the covers to prevent collision while closing the door






Door width	A	B	C	D	E	F	G
60	644	624	618	566	590	598	724
70	744	724	718	666	690	698	824
80	844	824	818	766	790	798	924
90	944	924	918	866	890	898	1024
100	1044	1024	1018	966	990	998	1124

F- Minimal dimension of space in steel frame necessary to install overlay frame

OR/OW	Range	Panels amount
ON 1	80-100	1
ON 2	100-120	1
ON 3	120-140	1
ON 4	140-160	1
ON 5	160-180	1
ON 6	180-200	1
ON 7	200-220	1
ON 8	220-240	2
ON 9	240-260	2
ON 10	260-280	2
ON 11	280-300	2
ON 12	300-320	2
ON 13	320-340	2
ON 14	340-360	2
ON 15	360-380	3
ON 16	380-400	3
ON 17	400-420	3

All dimensions and technical drawings are compliant with polish DIN norm




Profile	Colours
80x16x2100	Top Decor
80x16x2100	CPL
100x16x2100	Top Decor
100x16x2100	CPL


TECHNICAL DATA

- Length of a single strip 2.1 m
- The given prices are for one piece of the strip
- Clamp-free assembly with assembly glue
- Self-trimming angles


DOOR DIMENSIONS POLISH STANDARD




DOOR DIMENSIONS CZECH STANDARD



NONREBATED DOOR DIMENSION



DOOR DIMENSIONS FOR SLIDING SYSTEM



OPENING DIRECTIONS

Right door

Left door



DOUBLE DOOR DIRECTIONS

Double left door

Double right door





1



2




3



4



5



6



7











8








9

Number	Name
1	Ventilation tubes (set for 1 hole)
2	Ventilation grill
3	Hinges pads
4	Viewfinder
5	Hook lock with handles
6	Oval lock
7	Magnetic lock colour white Room/Toilet/Cylinder
8	Magnetic lock colour black Ro-om/Toilet/Cylinder
9	Round handle





Top-Decor



Laminat CPL



Ecoline



Colours samples presented in the catalogue can be different from reality. Please compare and choose colours with original samples. Producer reserves right to change pricing and available ware without informing in advance.

